

Republic of the Philippine TARLAC STATE UNIVERSITY

Romulo Blvd., San Vicente, Tarlac City Tel. No.: (045) 982 4630 Website: www.tsu.edu.ph

Bidding Documents

(This Bidding Documents is in conformance with the Sixth Edition of the Philippine Bidding Documents for the Procurement of Goods)

For the Project

Supply and Delivery of Medical and Dental Supplies (APP 2025 – 1st Quarter), Rebid

With an Approved Budget for the Contract (ABC) of One Million One Hundred Ninety-Four Thousand Seven Hundred Ninety Pesos (₱ 1,194,790.00)

Invitation to Bid No. Goods 2025-015a PhilGEPS Reference No.: 12029553

July 2020 6th Edition

TABLE OF CONTENTS

Glossary of Acronyms, Terms, and Abbreviations	1
Section I. Invitation to Bid	4
Section II. Instructions to Bidders	6
1. Scope of Bid	6
2. Funding Information	6
3. Bidding Requirements	6
4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	6
5. Eligible Bidders	6
6. Origin of Goods	7
7. Subcontracts	7
8. Pre-Bid Conference	7
9. Clarification and Amendment of Bidding Documents	7
10. Documents Comprising the Bid: Eligibility and Technical Components	7
11. Documents Comprising the Bid: Financial Component	7
12. Bid Prices	8
13. Bid and Payment Currencies	8
14. Bid Security	8
15. Sealing and Marking of Bids	8
16. Deadline for Submission of Bids	9
17. Opening and Preliminary Examination of Bids	9
18. Domestic Preference	9
19. Detailed Evaluation and Comparison of Bids	9
20. Post Qualification	10
21. Signing of the Contract	10
Section III. Bid Data Sheet	11
Section IV. General Conditions of Contract	12
1. Scope of Contract	12
2. Advance Payment and Terms of Payment	12
3. Performance Security	12
4. Inspection and Tests	12
5. Warranty	12
6. Liability of the Supplier	13
Section V. Special Conditions of Contract	14
Section VI. Schedule of Requirements	16
Section VII. Technical Specifications	17
Section VIII. Checklist of Technical and Financial Documents	19
Section IX. Bidding Forms	20

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF - Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



Republic of the Philippine TARLAC STATE UNIVERSITY

Romulo Blvd., San Vicente, Tarlac City Tel. No.: (045) 982 4630 Website: www.tsu.edu.ph

INVITATION TO BID

For the Project

Supply and Delivery of Medical and Dental Supplies (APP 2025 – 1st Quarter), Rebid

Invitation to Bid No. Goods 2025-015a

1. The Tarlac State University, through Special Budget (SB) Fund intends to apply the sum of One Million One Hundred Ninety-Four Thousand Seven Hundred Ninety Pesos (₱ 1,194,790.00) to payments under the contracts for the project: Supply and Delivery of Medical and Dental Supplies (APP 2025 – 1st Quarter), Rebid.

Bids received in excess of the ABC for shall be automatically rejected at bid opening.

Lot No.	Description	Qty.	Unit	ABC, ₱
1.	Medical Supplies	1	lot	497,565.00
2.	Dental Supplies	1	lot	697,225.00
	Total ABC:			1,194,790.00

- 2. The Tarlac State University now invites bids for the project **Supply and Delivery of Medical and Dental Supplies (APP 2025 1**st **Quarter), Rebid.** Delivery of the Goods is required within **forty-five (45) calendar days** from the receipt of the Notice to Proceed. Bidders must have completed, within the last five (5) years prior to the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act".

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

4. Interested bidders may obtain further information from **Tarlac State University** and inspect the Bidding Documents at the address given below during Tuesday to Friday from 7:00 A.M. to 6:00 P.M:

BAC Secretariat

Motorpool and Administration Building

Tarlac State University Romulo Blvd., San Vicente, Tarlac City Tel. No. (045) 606-8110-142 / 0998 846 0206

Email: bacsec@tsu.edu.ph

5. A complete set of Bidding Documents may be acquired by interested Bidders from May 15, 2025, to June 4, 2025, from the aforementioned address upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **P** 5,000.00.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

- 6. The Tarlac State University will hold a Pre-Bid Conference on May 23, 2025 (2:00 P.M.) at the Bids and Awards Committee Conference Room, 3rd Floor, Motorpool and Administration Building, Tarlac State University, Romulo Blvd., San Vicente, Tarlac City, which shall be open to prospective bidders.
- 7. Three (3) copies of the bid proposals (one original, and additional copy 1 and 2) must be submitted to the BAC which must be duly received by the BAC Secretariat through manual submission at the office address indicated in the bidding documents, on **June 4**, **2025** at **1:30 P.M.** Failure of bidders to comply with the said request of additional copies shall not be a ground for disqualification.

Late submission shall not be accepted.

BAC Secretariat

Motorpool and Administration Building Tarlac State University Romulo Blvd., San Vicente, Tarlac City Tel. No. (045) 606-8110-142 / 0998 846 0206

Email: bacsec@tsu.edu.ph

- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on **June 4, 2025** at **2:00 P.M.**, at the Bids and Awards Committee Conference Room, 3rd Floor, Motorpool and Administration Building, Tarlac State University, Romulo Blvd., San Vicente, Tarlac City. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below.
- 10. The Summary of the procurement activities is as follows:

Activities	Date and Time	Venue
Posted to PhilGEPS	May 15, 2025	N/A
Pre-Bid Conference	May 23, 2025 (2:00 PM)	BAC Conference Room, 3 rd Floor, Motorpool and Administration Building, Tarlac State University, Romulo Blvd., San Vicente, Tarlac City
Deadline of Submission of Bids	June 4, 2025 (1:30 PM)	Procurement Office, Motorpool and Administration Building, Tarlac State University, Romulo Blvd., San Vicente, Tarlac City
Opening of Bids	June 4, 2025 (2:00 PM)	BAC Conference Room, 3 rd Floor, Motorpool and Administration Building, Tarlac State University, Romulo Blvd., San Vicente, Tarlac City

- 11. The Tarlac State University reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 Revised IRR of RA 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

Ms. Jhenna Micah A. Manankil BAC Secretariat Motorpool and Administration Building Tarlac State University Romulo Blvd., San Vicente, Tarlac City Tel. No. (045) 606-8110-142 / 0998 846 0206

Email: bacsec@tsu.edu.ph

(SGD) ATTY. WILMARK J. RAMOS, *DBA*BAC Chairperson – Goods and Services

Section II. Instructions to Bidders

1. Scope of Bid

- 1.1. The Tarlac State University wishes to receive Bids for the project: Supply and Delivery of Medical and Dental Supplies (APP $2025 1^{st}$ Quarter), Rebid, with identification number Invitation to Bid No. Goods 2025-018a.
- 1.2. The procurement project (referred to herein as "Project") is composed of **two (2) lots** the details of which are described in Section VII. Technical Specifications.

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for **2025** in the amount of ₱ **1,194,790.00**
- 2.2. The source of funding is the **Special Budget.**

3. Bidding Requirements

- 3.1. The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.
- 3.2. Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or IB by the BAC through the issuance of a supplemental or bid bulletin.
- 3.3. The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder must have a SLCC that is similar to the Project, as described in the **BDS**, with a value, adjusted to current prices using the PSA's CPI, that is at least equivalent to **twenty-five percent** (25%) of the total ABC of the project.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that subcontracting is not allowed

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and at the address indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII. Checklist of Technical and Financial Documents**.
- 10.2. The Bidder's **SLCC** as indicated in **ITB** Clause 5.3 should have been completed **within five** (5) **years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII. Checklist of Technical and Financial Documents**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII. Technical Specifications**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **October 2, 2025**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

- 15.1. Each Bidder shall submit one copy of the first and second components of its Bid.
- 15.2. The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.
- 15.3. If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be

digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items are indicated in **Section VII. Technical Specifications**, and the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as one project having two (2) lots that shall be awarded as separate contracts.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a **non-extendible period of five (5) calendar days** from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

ITB Clause			
5.3	For this purpose, contracts similar to the Project shall be the supply and delivery of similar goods comprising the Project.		
7.1	No further in	structions.	
12	-	The price of the Goods shall be quoted DDP Tarlac City, Philippines or the applicable International Commercial Terms (INCOTERMS) for this Project.	
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than two percent (2 %) of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than five percent (5 %) of ABC if bid security is in Surety Bond.		
19.3	The ABC for the project		
	Lot No	ABC, ₱	
	1.	497,565.00	
	2.	697,225.00	
	Grand Total	1,194,790.00	
20.2	No further red	quirements.	
21.2	No further red	quirements.	

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV. Technical Specifications** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the

defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

GCC Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meaning assigned to them by the current edition of INCOTERMS published by the Internation Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	The delivery terms applicable to this Contract are delivered to Tarlac State University Romulo Blvd., San Vicente, Tarlac City. Risk and title will pass from the Supplier the Procuring Entity upon receipt and final acceptance of the Goods at their destination
	Delivery of the Goods shall be made by the Supplier in accordance with the term specified in Section VI. Schedule of Requirements.
	Packaging –
	The Supplier shall provide such packaging of the Goods as is required to prevent the damage or deterioration during transit to their final destination, as indicated in the Contract. The packaging shall be sufficient to withstand, without limitation, rough and ling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take inconsideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
	The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in an subsequent instructions ordered by the Procuring Entity.
	The outer packaging must be clearly marked on at least four (4) sides as follows:
	Name of the Procuring Entity Name of the Supplier
	Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions
	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be place on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDI transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

The inspections and tests that will be conducted are: visual and sensory inspection and

4

Section VI. Schedule of Requirements

The delivery date for the Goods covered by the Contract shall be within forty-five (45) calendar days upon receipt of the Notice to Proceed.

Section VII. Technical Specifications

Item	Description
No.	-
	al and Dental Supplies
	. 1 – Medical Supplies
1.	ALCOHOL,
	Ethyl, 70% - in container, 1 gallon, Exp. Date not less than 2yrs
2.	ALCOHOL,
	Ethyl, 70% Solution, 1000 mL with pump, Exp. Date not less than 2yrs
4.	ALCOHOL,
	Isopropyl Alcohol Pump, 1 Liter, 70% Solution, Disinfectant, Antiseptic
5.	ALCOHOL,
7	Isopropyl, 500ml,70%, Exp. Date not less than 2yrs,
7.	BAND AID,
0	Plastic strips 100 pcs/box, Exp. Date not less than 2yrs
8.	BANDAGE,
0	Adhesive, Butterfly strips BANDAGE,
9.	Adhesive, Fingertip
10.	BANDAGE,
10.	Adhesive, Knuckle
11.	BANDAGE,
11.	Adhesive, Patch Large (2"x4")
12.	BIB,
12.	assorted color 100 pcs/pack
13.	BLOOD LANCET,
13.	Disposable, Sterile, made of premium surgical steel. Easy twist to remove needle
	cover, Exp. Date not less than 2yrs
14.	BLOOD PRESSURE MONITOR,
	Digital Pressure Monitor Display: LCD Digital Display; Memory: 120 Memories in 4
	groups with Date & Time; Irregular Heartbeat Detection; Last 3 Results Average;
	Low Battery Detection; Automatic Power-Off Power Source: 4 AA Batteries; Unit
	Weight: 395g; Unit Dimension: 110x155x70mm; Cuff Circumference: 22-40cm;
	Included: Adaptor
15.	BP CUFF,
	for cardiac monitor, 22-40cm
16.	CANISTER,
	Stainless Cotton Canister size 4inch
17.	CANNULA,
	IV, Gauge, 20, Exp. Date not less than 2yrs
18.	CANNULA,
4.0	IV, Gauge, 22, Exp. Date not less than 2yrs
19	CANNULA,
20	IV, Gauge, 24, Exp. Date not less than 2yrs
20.	CONTAINER,
	for Sharps/ Needles, 15 liters, puncture proof
21.	COTTON SWAB,
	cotton tipped applicator with 6" wood shaft, single-tip, sterile, 1000/box
22.	COTTON,
	Balls, pure and absorbent cotton, 150pcs/pack
	=, F and according town, to open park

23.	CUP,
25.	made of paper, disposable, 6 oz, 50pcs/pack for visitors 1 bottle per color
24.	DIAGNOSTIC SET,
	Welch Allyn Compacset Portable Diagnostic Set, 2.5V Compact Set & Rechargeable
	Batteries. Integrates both a full-featured ophthalmoscope and fiber-optic otoscope
	into one durable, easy to use instrument. Fold-away design keeps instruments
	protected on the go. Integrated into one, easy-to-use instrument. Halogen
	illumination gives brighter, whiter, long-lasting light. Instrument heads swivel for
	easy access from any position. Powered by AA or rechargeable batteries
25.	ECG PAPER,
	ECG paper is foldable (Z-fold), with a millimeter striping and a black marking. It is
	compatible with Edan SE-601. Available with dimensions of 110mm x 140mm. Each
	package includes 144 sheets
26.	ELASTIC BANDAGE,
	Brown 2"
27.	ELASTIC BANDAGE,
	Brown 3"
28.	ELASTIC BANDAGE,
20	Brown 4"
29.	MASK,
	Surgical Face Mask, 3ply, with ear loop, disposable, 50pcs/box, FDA Registered,
30.	Exp. Date not less than 2yrs FACE MASK,
30.	N95 Respirator N95 Face Mask; box of 20
31.	FORCEPS,
31.	Alligator
32.	FORCEPS,
32.	College Tweezer
33.	FORCEPS,
	Kelly, Curve, 5.5 inches
34.	FORCEPS,
	Kelly, Curve, 7 inches
35.	FORCEPS,
	Kelly, Straight, 5.5 inches
36.	FORCEPS,
	Kelly, Straight, 7 inches
37.	FORCEPS,
	needle holder, 5.5 inches
38.	FORCEPS,
20	needle holder, 7 inches
39.	FORCEPS,
40	Thumb
40.	FORCEPS,
41.	Tissue GAUZE PAD,
41.	Eye patch, Exp. Date not less than 2yrs
42.	GAUZE PAD,
72.	Sterile, 2x2, 100 pcs/box, Exp. Date not less than 3yrs
	Sterrie, 2A2, 100 pesitoon, DAp. Date not less than 3yls
43.	GAUZE PAD,
.5.	Sterile, 4x4, 100 pcs/box, Exp. Date not less than 3yrs
44.	GLOVES,
	disposable, nitrile, powder free, large, Exp. Date not less than 3yrs

4.5	OI OVES
45.	GLOVES, Disposable/Nitrile/powder Free Medium, Exp. Date not less than 3yrs
16	
46.	GLOVES,
47.	Sterile, size 8, Exp. Date not less than 3yrs GLUCOMETER,
47.	TEST STRIP,
48.	One Touch Select: Code 25, Exp. Date not less than 2yrs
46.	HOT WATER BAG, 1000ml
49.	HOT WATER BAG,
49.	500ml
50.	INFUSION SET,
50.	IV, Macroset, Exp. Date not less than 2yrs
51.	INFUSION SET,
31.	IV, Microset, Exp. Date not less than 2yrs
52.	MULTI-FUNCTION MONITORING SYSTEM,
32.	Easytouch GCHb Glucose Cholesterol & Hemoglobin 3in1 Starter Kit Monitor your
	Glucose (sugar), Cholesterol and Hemoglobin using 1 Machine! - Portable and
	handy. Can be used anytime, anywhere! - Few blood sample needed Fast test
	results in seconds. Content: GCU meter, Glucose strips 10pcs, Cholesterol strips
	2pcs, Hemoglobin strips 5pcs, Lancing Pen Device & Lancets 20pcs, Manual,
	logbook and warranty card, Check strip, 2 years warranty & Lifetime service
53.	NASAL CANNULA,
	For non-toxic PVC Compound, 1.8 meters of non-kink star lumen PVC tubing Nasal
	prongs made of soft PVC
54.	NEBULIZING KIT,
	NEBULIZATION KIT, Neb Kit with mouthpiece and mask
55.	NEEDLE DESTROYER,
	Round Shape Hub and needle of syringe were cut in one shot. Cuts needle at the hub
	no needle sharps remaining on the syringe after the cut. Separates needle and syringe
	at the point-of-use. Minimal splatter Puncture-resistant container. Encloses needles
	securely in the hard plastic container Convenience does not require electricity to
	operate. It is manual Cuts and holds 200- 300needles, depending on needle size.
	Easy to dispose can be incinerated or buried in pit
56.	NEEDLE GAUGE,
	25 (25Gx1")
57.	PAPER BAG,
	Brown kraft paper bag, 3.5x2x6.5 inches (100pcs/pack)
58.	PAPER BAG,
	Brown kraft paper bag, 4 1/2 x 2 7/8 x8 inches (100pcs/pack)
59.	PAPER BAG,
	Brown kraft paper bag, 5 3/8 x 3 x 10 1/2 inches (100pcs/pack)
60.	PLASTIC BAG,
	Resealable Ziplock bag 8x9 1/2 inches
61.	PLASTIC BAG,
	Resealable Ziplock bag Medium 5 1/2x8 inches
62.	REFRIGERANT,
	7.4 cu.ft. Refrigerator TMF All-around Cooling Refined Inox 2 door, Net Dimension
	(WxHxD)(mm) - 555 x 1445 x 637 mm, Material - Tempered Glass, Ice tray – San
	Isidro Clinic
63.	REFRIGERANT,
	8.4 cu.ft. Refrigerator TMF All-around Cooling Refined Inox 2 door, Net Dimension
	(WxHxD)(mm) - 555 x 1545 x 637 mm, Cooling Type - All-around Cooling,

	Deodorizer Type – Deodorizer, Shelf Material - Tempered Glass, Icemaker - Twist
	ice maker – Lucinda Clinic
64.	SCALP VEIN SET,
04.	Gauge 25, 50pcs/box
65.	SCALPEL,
05.	Medical grade, #4
66.	SCISSOR,
00.	Bandage
67.	SCISSOR,
07.	
60	Mayo curved 7 inches
68.	SCISSOR,
60	Mayo straight 5.5 inches
69.	SCISSOR,
70	Mayo straight 7 inches
70.	SCISSOR,
71	Metzenbaum, 5.5 inches, curve
71.	SCISSOR,
70	Metzenbaum, 5.5 inches, straight
72.	SCISSOR,
70	Metzenbaum, 8 inches, curve
73.	SCISSOR,
7.4	Metzenbaum, 8 inches, straight
74.	SCISSOR,
7.5	Spencer Stitch Scissors, 3.5 inches
75.	SPRAY,
7.0	Disinfectant, 510ml
76.	STERILE POUCH,
	Medical grade paper + medical high performance film PET flat roll 8 inches x
	30meters
77.	STERILE TONGUE DEPRESSOR,
70	Wooden STEPH IZATION POLICIA
78.	STERILIZATION POUCH,
70	self-sealing, size: 3.5" x 10" (90 x 260mm) 200pcs/box
79.	SURGICAL BLADE,
00	Stainless steel, #20, 100's
80.	SURGICAL BLADE,
0.1	Stainless steel, #21, 100's
81.	SURGICAL TAPE,
02	Transparent, 1"x10 yards, perforated plastic tape that tears easily
82.	SURGICAL TAPE,
02	Transparent, 1/2'x10 yards, perforated plastic tape that tears easily
83.	SURGICAL TAPE,
0.4	Transparent, 2" x 10 yards, perforated plastic tape that tears easily
84.	SUTURE NEEDLE,
0.5	Silk 0, Exp. Date not less than 3yrs
85.	SUTURE NEEDLE,
0.5	Silk 3-0 (cutting needle), Exp. Date not less than 3yrs
86.	SYRINGE,
	1 mL Syringe with Luer Slip Tip (without needle), Box of 200
87.	SYRINGE,
	10 mL Syringe with Luer Slip Tip (without needle), Box of 200
88.	SYRINGE,

	1cc, Luer Lock with needle, Exp. Date not less than 3yrs
89.	SYRINGE,
	20 mL Syringe with Luer Slip Tip (without needle), Box of 200
90.	SYRINGE,
	3cc, Luer Lock with needle, Exp. Date not less than 3yrs
91.	SYRINGE,
	5 mL Syringe with Luer Slip Tip (without needle), Box of 200
92.	SYRINGE,
	5cc, Luer Lock with needle, Exp. Date not less than 3yrs
93.	TAPE,
	Zinc Oxide tape size 2.5cmx5m
94.	TEST STRIPS,
	Cholesterol 25pcs/bot, it should be same brand as item no. 52
95.	TEST STRIPS,
	Hemoglobin 25pcs/bot, it should be same brand as item no. 52
96.	TEST STRIPS,
70.	uric acid 25pcs/bot, it should be same brand as item no. 52
97.	THERMOMETER,
	Digital Thermometer for Axillary High accuracy and fast response within 10
	seconds, Large and easy to read digital display, peak hold and auto shut off function,
	Break resistant and child-safe probe, Last temperature recall Signals when complete
98.	THERMOMETER,
)0.	Forehead Thermometer Non-contact: can measure body temperature without
	touching the ear or the forehead, prevent cross-infection between multiple people.
	Measurement Distance: 10mm-50mm
99.	TRASH BAG,
)).	Yellow, 20liters (for infectious waste)
100.	TRASH BAG,
100.	Yellow, XL (for infectious waste)
101.	TRAY,
101.	Instrument Tray & Cover Medical Grade 10" x 8" x 2"
102.	TRAY,
102.	Instrument Tray & Cover Medical Grade 8. 5"X3"x1. 5"
103.	WEIGHING SCALE,
103.	Digital bathroom Weighing scale High precision strain gauge sensor, Glass platform,
	Backlight LCD 73×27.5mm with temperature indication, Capacity: 180kg/396lb D=
	50g, Units: Kg/Lb, Automatic on/off, Low battery/over load indication,
	Power:2xAAA batteries, 6 Months warranty on the weighing instrument main parts*
	(extendable up to 1 Year)
104.	WIPES,
104.	Disinfecting (100pcs/btl)
105.	WIPES,
105.	Hand and body wipes
I at No	o. 2 – Dental Supplies
106.	BUR SURGICAL, round
100.	BUR SURGICAL, straight
107.	BUR, round
	,
109.	BUR, straight
110.	COMPOSITE FILLING NANO HYBRID UNIVERSAL RESTORATIVE-INTRO
	KIT,
111	Composite Compos
111.	COMPOSITE,
	flowable composite 2g 3 syringe

112.	COTTON,
112.	Roll, #1 non-sterile 50rolls/sleeve 10 sleeves/bag
113.	COTTON,
113.	Roll, 400 Grams
114.	DISINFECTANT,
1111	Descosept AF 1L
115.	DISTILLED WATER, 6L
116.	FACE MASK,
110.	Non-woven ear loop, 100/box
117.	FACE SHIELD,
117.	for dental use
118.	GAUZE PAD,
110.	Absorbent, (2x2)100pcs/pack
119.	GLASS IONOMER,
	liquid 20ml
120.	GLASS IONOMER,
1201	powder 35g
121.	GLOVES,
	latex medical examination, large, 100/box, Micro SuperGloves
122.	GLOVES,
	latex medical examination, medium, 100/box, Micro SuperGloves
123.	GLOVES,
	latex medical examination, small, 100/box, Micro SuperGloves
124.	HAND PIECE,
	High speed ceramic bearing; cooling method:3 holes spray water ,uniform cooling and
	good all-around cooling effect; Speed:35000-380000; lighting:25000 LUX fiber
	brightness; Bearing:2.78mm ceramic bearing; Connector:2-hole connector; Air
	pressure:0.2-0.3Mpa; Size:16.5*8*3cm/6.5*3.1*1.2in; Net weight:165g/5.8 oz; Gross
	weight:200g/7.1oz
125.	HAND PIECE,
	Low speed straight nose hand piece contra angle air motor; Air pressure:0.25 Mpa-
	0.3Mpa; water pressure: 198kpa (2kg); forward rotation speed: 18(krpm); Reversal
	rotation speed: 16(krpm); Torque: 0.4N-0.45N; Bur size: 2.334-2.335mm); water flow:
	90(min/ml)110(min/ml); Water Pressure: 0.2Mpa-0.23 Mpa; Atomization pressure:
	0.3 Mpa-0.35Mpa); Noise: <65dB; Chuck Type: push button type
126.	HAND SANITIZER,
	250ml
127.	HEAD CAP,
120	(100pcs/pack)
128.	IRM, 38g (liquid and powder set)
129.	KIT SYSTEM,
	Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit
	Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-
	Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine
	polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon
	rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite
	resin molding polishing strips
130.	MASK, KN95
150.	
131.	MIRROR SUCTION,
	Mirror Suction "Double-Sided" - "Introductory" Kit
	Contents
	• (5) Handles with #5 double-sided mirrors
-	22

	(2) 11
	• (2) Hoses
	• (2) 11 mm adapters
	• (1) Cleaning brush
	Mouth Mirrors with Suction
	• Provides excellent aspiration by connecting to the H.V.E. valve
	Acts as a mouth retractor and tongue guard
	All components are autoclavable
	Airflow in the mirror head helps reduce fogging
	Product Information:
	•Condition: New
	•Warranty: Satisfaction Guaranteed
132.	MOUTH MIRROR,
	#4 (US Dontics)
133.	NEEDLE,
	disposable dental 27G-long
134.	OR GOWN, disposable (for patients)
135.	ORAL RINSE,
	Chlorhexidine Gluconate 0.12% 500ml
136.	POLISHING STRIPS,
	Dental Polishing Strips Polyester 4 MM Fine Grit (One Side) 100/Package
	• for contouring and finishing of composite restorations
	• one sided (fine/medium grit)
	• coated with aluminum oxide
	• 100 strips per pack
	• 4 mm width
137.	SALIVA EJECTOR,
	disposable, PVC material
138.	SHOE COVER,
	booties or shoe cover, disposable
139.	SUIT, PPE
140.	SYRUP TANK,
	For Soda Machine, Capacity: 2.5Gal or 5Gal; Material: 304 Stainless steel; Diameter:
	about 214mm; Height: about 410mm (2.5Gal), 645mm (5Gal); Max Pressure: 9 Bar
	(130 psi)
	-

Section VIII. Bid Documents Checklist

This Bid Documents Checklist is provided to guide the Bidder in preparing his/her bid. The checklist may be used by the Bidder to verify if the Bid includes all the prescribed documents.

The Bidder, in submitting the required documents, must use the prescribed forms found in Section X. Bidding Forms. However, should a bidder choose to use a different formatting style for a required document, the bidder must ensure that the substance in the form given in Section X for that particular document is substantially captured in the equivalent document.

I. TECHNICAL COMPONENT ENVELOPE

II.

	Class "A" Documents
<u>Legal Do</u>	<u>ocuments</u>
(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
T. 1 ·	
	al Documents
☐ (b)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar
	to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the
	relevant period as provided in the Bidding Documents; and
(d)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission or Original copy of
	Notarized Bid Securing Declaration; <u>and</u> Conformity with the Technical Specifications, which may include
(e)	production/delivery schedule, manpower requirements, and/or after-
	sales/parts, if applicable; and
(f)	Original duly signed Omnibus Sworn Statement (OSS) and if applicable
_	Original Notarized Secretary's Certificate in case of a corporation
	partnership, or cooperative; or Original Special Power of Attorney of all
	members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Financia	l Documents
(g)	The prospective bidder's computation of Net Financial Contracting Capacity
	(NFCC) or A committed Line of Credit from a Universal or Commercial
	Bank in lieu of its NFCC computation.
	Class "B" Documents
(h)	If applicable, a duly signed joint venture agreement (JVA) in case the joint
	venture is already in existence or duly notarized statements from all the
	potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
FINANC	IAL COMPONENT ENVELOPE
(i)	Original of duly signed and accomplished Financial Bid Form; and
(j)	Original of duly signed and accomplished Price Schedule(s).

Section IX. Bidding Forms

TABLE OF CONTENTS

A.	Elig	gibility and Technical Documents	
	b.	Statement of all on-going government and private contracts, including contracts awarded but not yet started, if any	27
	c.	Statement of Single Largest Completed Contract (SLCC), similar to the contract to be bid, in accordance with ITB Clause 5.3	28
	d.	Bid Securing Declaration or Bid Security, in the form, amount and validity period, as prescribed in ITB Clause 14.1	29
	e. f.	Bidder's Compliance to the Technical Specifications Omnibus Sworn Statement, which shall be duly notarized	30 38
	g.	NFCC Computation	40
В.	Fina	ancial Documents	
	i.	Financial Bid Form	41
	i	Schadula of Prices	13

[Bidder's Letterhead]

ſ.	Date]	
Ι.	Duie	

To: Tarlac State University Re: Invitation to Bid No.

List of All Ongoing Government and Private Contracts, Including Contracts Awarded But Not Yet Started

Row 1: Name of Contract Row 2: Location of Project Row 3: Contract Price	Row 1: Procuring Entity Row 2: Contact Person/Address Row 3: Telephone No.	Description of Goods	Row 1: Date of Award Row 2: Date Started Row 3: Contract Duration	Value of Outstanding Goods

Attached herewith are the following documents: Notice of Award, Notice to Proceed, and Official Receipts/Invoices, as evidences in support of the foregoing information.

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title]

[Bidder's Letterhead]

Date

To: Tarlac State University Re: Invitation to Bid No.

Statement of Single Largest Completed Contract Similar to the Contract to be Bid

Row 1: Name of Contract Row 2: Location	Contract Price	Row 1: Procuring Entity Row 2: Address Row 3: Contact Person/Tel. No.	Description of Goods	Date of Award	Date Completed

Attached herewith are the following documents: Contract Agreement, Notice of Award, Notice to Proceed, Official Receipt/Invoice, Certificate of Final Inspection, and Certificate of Acceptance, as evidences in support of the foregoing information.

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title

BID SECURING DECLARATION

REPUBLIC OF THE P	HILIPPINES)
CITY OF) S.S.
	,

Project Invitation to Bid No.: [Insert number]

To: Tarlac State University

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

[Bidder's Letterhead]

[Date]

To: Tarlac State University Re: Invitation to Bid No.

Compliance to the Technical Specifications

Item No.	Description	Bidder's Compliance State "Comply" below if your offer is complying with the specifications, otherwise state "We are offering the same goods with the following specifications [State the complete specifications of the alternative offer]
	cal and Dental Supplies	
-	o. 1 – Medical Supplies	
1.	ALCOHOL,	
	Ethyl, 70%- in container, 1 gallon, Exp. Date not less than 2yrs	
2.	ALCOHOL,	
	Ethyl, 70% Solution, 1000 mL with pump, Exp. Date not less than	
	2yrs	
4.	ALCOHOL,	
	Isopropyl Alcohol Pump, 1 Liter, 70% Solution, Disinfectant,	
~	Antiseptic	
5.	ALCOHOL,	
7	Isopropyl, 500ml,70%, Exp. Date not less than 2yrs,	
7.	BAND AID,	
8.	Plastic strips 100 pcs/box, Exp. Date not less than 2yrs BANDAGE,	
٥.	Adhesive, Butterfly strips	
9.	BANDAGE,	
9.	Adhesive, Fingertip	
10.	BANDAGE,	
10.	Adhesive, Knuckle	
11.	BANDAGE,	
11.	Adhesive, Patch Large (2"x4")	
12.	BIB,	
12.	assorted color 100 pcs/pack	
13.	BLOOD LANCET,	
	Disposable, Sterile, made of premium surgical steel. Easy twist to	
	remove needle cover, Exp. Date not less than 2yrs	
14.	BLOOD PRESSURE MONITOR,	
	Digital Pressure Monitor Display: LCD Digital Display; Memory:	
	120 Memories in 4 groups with Date & Time; Irregular Heartbeat	
	Detection; Last 3 Results Average; Low Battery Detection;	
	Automatic Power-Off Power Source: 4 AA Batteries; Unit Weight:	
	395g; Unit Dimension: 110x155x70mm; Cuff Circumference: 22-	
	40cm; Included: Adaptor	
15.	BP CUFF,	
	for cardiac monitor, 22-40cm	

16.	CANISTER,	
10.	Stainless Cotton Canister size 4inch	
17.	CANNULA,	
17.	IV, Gauge, 20, Exp. Date not less than 2yrs	
18.	CANNULA,	
10.	IV, Gauge, 22, Exp. Date not less than 2yrs	
19	CANNULA,	
1)	IV, Gauge, 24, Exp. Date not less than 2yrs	
20.	CONTAINER,	
20.	for Sharps/ Needles, 15 liters, puncture proof	
21.	COTTON SWAB,	
21.		
	cotton tipped applicator with 6" wood shaft, single-tip, sterile, 1000/box	
22.	COTTON,	
22.	Balls, pure and absorbent cotton, 150pcs/pack	
23.	CUP,	
\ \(\(\times_{2} \).	made of paper, disposable, 6 oz, 50pcs/pack for visitors 1 bottle	
	per color	
24.	DIAGNOSTIC SET,	
- ''	Welch Allyn Compacset Portable Diagnostic Set, 2.5V Compact	
	Set & Rechargeable Batteries. Integrates both a full-featured	
	ophthalmoscope and fiber-optic otoscope into one durable, easy to	
	use instrument. Fold-away design keeps instruments protected on	
	the go. Integrated into one, easy-to-use instrument. Halogen	
	illumination gives brighter, whiter, long-lasting light. Instrument	
	heads swivel for easy access from any position. Powered by AA or	
	rechargeable batteries	
25.	ECG PAPER,	
	ECG paper is foldable (Z-fold), with a millimeter striping and a	
	black marking. It is compatible with Edan SE-601. Available with	
	dimensions of 110mm x 140mm. Each package includes 144	
	sheets	
26.	ELASTIC BANDAGE,	
	Brown 2"	
27.	ELASTIC BANDAGE,	
	Brown 3"	
28.	ELASTIC BANDAGE,	
	Brown 4"	
29.	MASK,	
	Surgical Face Mask, 3ply, with ear loop, disposable, 50pcs/box,	
20	FDA Registered, Exp. Date not less than 2yrs	
30.	FACE MASK,	
21	N95 Respirator N95 Face Mask; box of 20	
31.	FORCEPS,	
22	Alligator	
32.	FORCEPS, College Tweezer	
33.	FORCEPS,	
ا ا	Kelly, Curve, 5.5 inches	
34.	FORCEPS,	
J -1 .	Kelly, Curve, 7 inches	
	Keny, Curve, / menes	
35.	FORCEPS,	
	Kelly, Straight, 5.5 inches	
36.	FORCEPS,	
	Kelly, Straight, 7 inches	
	india, straight, intolled	

37.	FORCEPS,	
37.	needle holder, 5.5 inches	
38.	FORCEPS,	
30.	needle holder, 7 inches	
39.	FORCEPS,	
37.	Thumb	
40.	FORCEPS,	
10.	Tissue	
41.	GAUZE PAD,	
'1'	Eye patch, Exp. Date not less than 2yrs	
42.	GAUZE PAD,	
12.	Sterile, 2x2, 100 pcs/box, Exp. Date not less than 3yrs	
43.	GAUZE PAD,	
73.	Sterile, 4x4, 100 pcs/box, Exp. Date not less than 3yrs	
44.	GLOVES,	
44.	disposable, nitrile, powder free, large, Exp. Date not less than 3yrs	
45.	GLOVES,	
73.	Disposable/Nitrile/powder Free Medium, Exp. Date not less than	
	3yrs	
46.	GLOVES,	
70.	Sterile, size 8, Exp. Date not less than 3yrs	
47.	GLUCOMETER,	
77.	TEST STRIP,	
	One Touch Select: Code 25, Exp. Date not less than 2yrs	
48.	HOT WATER BAG,	
40.	1000ml	
49.	HOT WATER BAG,	
49.	500ml	
50.	INFUSION SET,	
50.	IV, Macroset, Exp. Date not less than 2yrs	
51.	INFUSION SET,	
31.	IV, Microset, Exp. Date not less than 2yrs	
52.	MULTI-FUNCTION MONITORING SYSTEM,	
32.	Easytouch GCHb Glucose Cholesterol & Hemoglobin 3in1 Starter	
	Kit Monitor your Glucose (sugar), Cholesterol and Hemoglobin	
	using 1 Machine! - Portable and handy. Can be used anytime,	
	anywhere! - Few blood sample needed Fast test results in	
	seconds. Content: GCU meter, Glucose strips 10pcs, Cholesterol	
	strips 2pcs, Hemoglobin strips 5pcs, Lancing Pen Device &	
	Lancets 20pcs, Manual, logbook and warranty card, Check strip, 2	
	years warranty & Lifetime service	
53.	NASAL CANNULA,	
	For non-toxic PVC Compound, 1.8 meters of non-kink star lumen	
	PVC tubing Nasal prongs made of soft PVC	
54.	NEBULIZING KIT,	
	NEBULIZATION KIT, Neb Kit with mouthpiece and mask	
55.	NEEDLE DESTROYER,	
	Round Shape Hub and needle of syringe were cut in one shot. Cuts	
	needle at the hub no needle sharps remaining on the syringe after	
	the cut. Separates needle and syringe at the point-of-use. Minimal	
	splatter Puncture-resistant container. Encloses needles securely in	
	the hard plastic container Convenience does not require electricity	
	to operate. It is manual Cuts and holds 200- 300 needles, depending	
<i></i>	on needle size. Easy to dispose can be incinerated or buried in pit	
56.	NEEDLE GAUGE,	
	25 (25Gx1")	

57.	PAPER BAG,	
	Brown kraft paper bag, 3.5x2x6.5 inches (100pcs/pack)	
58.	PAPER BAG,	
	Brown kraft paper bag, 4 1/2 x 2 7/8 x8 inches (100pcs/pack)	
59.	PAPER BAG,	
	Brown kraft paper bag, 5 3/8 x 3 x 10 1/2 inches (100pcs/pack)	
60.	PLASTIC BAG,	
	Resealable Ziplock bag 8x9 1/2 inches	
61.	PLASTIC BAG,	
	Resealable Ziplock bag Medium 5 1/2x8 inches	
62.	REFRIGERANT,	
	7.4 cu.ft. Refrigerator TMF All-around Cooling Refined Inox 2	
	door, Net Dimension (WxHxD)(mm) - 555 x 1445 x 637 mm,	
	Material - Tempered Glass, Ice tray – San Isidro Clinic	
63.	REFRIGERANT,	
	8.4 cu.ft. Refrigerator TMF All-around Cooling Refined Inox 2	
	door, Net Dimension (WxHxD)(mm) - 555 x 1545 x 637 mm,	
	Cooling Type - All-around Cooling, Deodorizer Type -	
	Deodorizer, Shelf Material - Tempered Glass, Icemaker - Twist ice maker – Lucinda Clinic	
64.	SCALP VEIN SET,	
04.	Gauge 25, 50pcs/box	
65.	SCALPEL,	
03.	Medical grade, #4	
66.	SCISSOR,	
	Bandage	
67.	SCISSOR,	
	Mayo curved 7 inches	
68.	SCISSOR,	
	Mayo straight 5.5 inches	
69.	SCISSOR,	
	Mayo straight 7 inches	
70.	SCISSOR,	
	Metzenbaum, 5.5 inches, curve	
71.	SCISSOR,	
	Metzenbaum, 5.5 inches, straight	
72.	SCISSOR,	
	Metzenbaum, 8 inches, curve	
73.	SCISSOR,	
	Metzenbaum, 8 inches, straight	
74.	SCISSOR,	
	Spencer Stitch Scissors, 3.5 inches	
75.	SPRAY,	
	Disinfectant, 510ml	
76.	STERILE POUCH,	
	Medical grade paper + medical high performance film PET flat roll	
77	8 inches x 30meters	
77.	STERILE TONGUE DEPRESSOR,	
78.	Wooden STERILIZATION POUCH,	
/0.	self-sealing, size: 3.5" x 10" (90 x 260mm) 200pcs/box	
	sen-seamig, size. 3.3 x 10 (90 x 200mm) 200pcs/box	
79.	SURGICAL BLADE,	
', ', ',	Stainless steel, #20, 100's	
80.	SURGICAL BLADE,	
	Stainless steel, #21, 100's	
L	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	

81.	SURGICAL TAPE,	
	Transparent, 1"x10 yards, perforated plastic tape that tears easily	
82.	SURGICAL TAPE,	
	Transparent, 1/2'x10 yards, perforated plastic tape that tears easily	
83.	SURGICAL TAPE,	
	Transparent, 2" x 10 yards, perforated plastic tape that tears easily	
84.	SUTURE NEEDLE,	
	Silk 0, Exp. Date not less than 3yrs	
85.	SUTURE NEEDLE,	
0.6	Silk 3-0 (cutting needle), Exp. Date not less than 3yrs	
86.	SYRINGE,	
97	1 mL Syringe with Luer Slip Tip (without needle), Box of 200	
87.	SYRINGE, 10 mL Syringe with Lyer Slip Tip (without needle) Pey of 200	
88.	10 mL Syringe with Luer Slip Tip (without needle), Box of 200 SYRINGE,	
00.	1cc, Luer Lock with needle, Exp. Date not less than 3yrs	
89.	SYRINGE,	
	20 mL Syringe with Luer Slip Tip (without needle), Box of 200	
90.	SYRINGE,	
	3cc, Luer Lock with needle, Exp. Date not less than 3yrs	
91.	SYRINGE,	
	5 mL Syringe with Luer Slip Tip (without needle), Box of 200	
92.	SYRINGE,	
	5cc, Luer Lock with needle, Exp. Date not less than 3yrs	
93.	TAPE,	
0.4	Zinc Oxide tape size 2.5cmx5m	
94.	TEST STRIPS, Chalasteral 25 ray /hat, it should be some broad as item as 52	
95.	Cholesterol 25pcs/bot, it should be same brand as item no. 52 TEST STRIPS,	
93.	Hemoglobin 25pcs/bot, it should be same brand as item no. 52	
96.	TEST STRIPS,	
	uric acid 25pcs/bot, it should be same brand as item no. 52	
97.	THERMOMETER,	
	Digital Thermometer for Axillary High accuracy and fast response	
	within 10 seconds, Large and easy to read digital display, peak hold	
	and auto shut off function, Break resistant and child-safe probe,	
00	Last temperature recall Signals when complete	
98.	THERMOMETER, Forehead Thermometer Non-contact: can measure body	
	Forehead Thermometer Non-contact: can measure body temperature without touching the ear or the forehead, prevent	
	cross-infection between multiple people. Measurement Distance:	
	10mm-50mm	
99.	TRASH BAG,	
	Yellow, 20liters (for infectious waste)	
100.	TRASH BAG,	
4.0.1	Yellow, XL (for infectious waste)	
101.	TRAY,	
102	Instrument Tray & Cover Medical Grade 10" x 8" x 2"	
102.	TRAY, Instrument Tray & Cover Medical Grade 8. 5"X3"x1. 5"	
103.	WEIGHING SCALE,	
105.	Digital bathroom Weighing scale High precision strain gauge	
	sensor, Glass platform, Backlight LCD 73×27.5mm with	
	temperature indication, Capacity: 180kg/396lb D= 50g, Units:	
	Kg/Lb, Automatic on/off, Low battery/over load indication,	

	Power:2xAAA batteries, 6 Months warranty on the weighing	
104	instrument main parts* (extendable up to 1 Year)	
104.	WIPES,	
	Disinfecting (100pcs/btl)	
105.	WIPES,	
	Hand and body wipes	
	o. 2 – Dental Supplies	
106.	BUR SURGICAL, round	
107.	BUR SURGICAL, straight	
108.	BUR, round	
109.	BUR, straight	
110.	COMPOSITE FILLING NANO HYBRID UNIVERSAL	
	RESTORATIVE-INTRO KIT,	
	Content: 12g Restorative paste, 3ml scotch bond, universal etchant	
	,6g adhesive	
111.	COMPOSITE,	
	flowable composite 2g 3 syringe	
112.	COTTON,	
	Roll, #1 non-sterile 50rolls/sleeve 10 sleeves/bag	
113.	COTTON,	
	Roll, 400 Grams	
114.	DISINFECTANT,	
	Descosept AF 1L	
115.	DISTILLED WATER, 6L	
116.	FACE MASK,	
110.	Non-woven ear loop, 100/box	
117.	FACE SHIELD,	
117.	for dental use	
118.	GAUZE PAD,	
110.	,	
119.	Absorbent, (2x2)100pcs/pack	
119.	GLASS IONOMER,	
120	liquid 20ml	
120.	GLASS IONOMER,	
101	powder 35g	
121.	GLOVES,	
122	latex medical examination, large, 100/box, Micro SuperGloves	
122.	GLOVES,	
100	latex medical examination, medium, 100/box, Micro SuperGloves	
123.	GLOVES,	
	latex medical examination, small, 100/box, Micro SuperGloves	
124.	HAND PIECE,	
	High speed ceramic bearing; cooling method:3 holes spray water	
	uniform cooling and good all-around cooling effect; Speed:35000-	
	380000; lighting:25000 LUX fiber brightness; Bearing:2.78mm	
	ceramic bearing; Connector:2-hole connector; Air pressure:0.2-	
	0.3Mpa; Size:16.5*8*3cm/6.5*3.1*1.2in; Net weight:165g/5.8 oz;	
45=	Gross weight:200g/7.1oz	
125.	HAND PIECE,	
	Low speed straight nose hand piece contra angle air motor; Air	
	pressure: 0.25 Mpa-0.3Mpa; water pressure: 198kpa (2kg); forward	
	rotation speed: 18(krpm); Reversal rotation speed: 16(krpm);	
	Torque: 0.4N-0.45N; Bur size: 2.334-2.335mm); water flow:	
	90(min/ml)110(min/ml); Water Pressure: 0.2Mpa-0.23 Mpa;	
	Atomization pressure: 0.3 Mpa-0.35Mpa); Noise: <65dB; Chuck	
126	Type: push button type	
126.	HAND SANITIZER,	

	250ml	
127.	HEAD CAP,	
	(100pcs/pack)	
128.	IRM, 38g (liquid and powder set)	
129.	KIT SYSTEM,	
	Finishing and polishing system kit; Diameter Size: Multiple	
	Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing &	
	polishing system kit; Product type: Extra-Thin Contouring and	
	Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine	
	polish; Red: superfine polish; it is used to polish the anterior teeth	
	with compol silicon rubber grinding head is used for primary	
	polishing site resin step by step; product list: 2 white sandstones	
	are used for molding, 180 polishing discs, 2 handles, 40 composite	
	resin molding polishing strips	
130.	MASK, KN95	
131.	MIRROR SUCTION,	
	Mirror Suction "Double-Sided" - "Introductory" Kit	
	Contents	
	• (5) Handles with #5 double-sided mirrors	
	• (2) Hoses	
	• (2) 11 mm adapters	
	• (1) Cleaning brush	
	Mouth Mirrors with Suction	
	• Provides excellent aspiration by connecting to the H.V.E. valve	
	• Acts as a mouth retractor and tongue guard	
	 All components are autoclavable Airflow in the mirror head helps reduce fogging	
	Product Information:	
	•Condition: New	
	Warranty: Satisfaction Guaranteed	
132.	MOUTH MIRROR,	
	#4 (US Dontics)	
133.	NEEDLE,	
	disposable dental 27G-long	
134.	OR GOWN, disposable (for patients)	
135.	ORAL RINSE,	
	Chlorhexidine Gluconate 0.12% 500ml	
136.	POLISHING STRIPS,	
	Dental Polishing Strips Polyester 4 MM Fine Grit (One Side)	
	100/Package	
	• for contouring and finishing of composite restorations	
	• one sided (fine/medium grit)	
	• coated with aluminum oxide	
	• 100 strips per pack	
107	• 4 mm width	
137.	SALIVA EJECTOR,	
120	disposable, PVC material	
138.	SHOE COVER,	
120	booties or shoe cover, disposable	
139.	SUIT, PPE	
140.	SYRUP TANK, For Soda Machina, Canadityu 2 5Cal, or 5Cal, Matarial, 204	
	For Soda Machine, Capacity: 2.5Gal or 5Gal; Material: 304	
	Stainless steel; Diameter: about 214mm; Height: about 410mm (2.5Gal), 645mm (5Gal); Max Pressure: 9 Bar (130 psi)	
	(2.30ai), 043iiiii (30ai), ivian i iessuie. 7 Dai (130 psi)	

Note: Bidders must state in the Statement of Compliance either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter

of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's unamended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provision of **ITB** Clause 4.

Attached herewith are the manufacturer's product literature(s) and certification(s) that we are authorized to sell the goods.

We certify that the foregoing information and the supporting documents are true and correct.

[Signature]
[Name of Authorized Signatory]
[Position/Title of Authorized Signatory]

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES)		
CITY/MUNICIPALITY OF)	SS	7

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. Select one, delete the other:

- b. *If a sole proprietorship:* I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[address of Bidder]*;
- c. *If a partnership, corporation, cooperative, or joint venture:* I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

2. Select one, delete the other:

- a. If a sole proprietorship: As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;
- b. If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];
- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. Select one, delete the rest:

- a. *If a sole proprietorship:* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;
- b. *If a partnership or cooperative:* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of

the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- c. *If a corporation or joint venture:* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;
- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
 - a. Carefully examine all of the Bidding Documents;
 - b. Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract:
 - c. Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to delivery certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

amended, or the Revised Penal Cod	e.
IN WITNESS WHEREOF, I have here Philippines.	unto set my hand this day of, 20 at,
	Bidder's Representative/Authorized Signatory
execution], Philippines. Affiant/s is/are per competent evidence of identity as defined SC). Affiant/s exhibited to me his/her [inse	before me this day of [month] [year] at [place of sonally known to me and was/were identified by me through in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-ert type of government identification card used], with his/her n, with no and his/her Community Tax Certificate day of [month] [year].
Doc. No	NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No PTR No [date issued], [place issued] IBP No [date issued], [place issued]
Page No	

Book No. _____ Series of _____

[Date]

To: Tarlac State University Re: Invitation to Bid No.

NET FINANCIAL CONTRACTING CAPACITY

Based on our Income Tax Return and Audited Financial Statement for the Fiscal Year [YEAR], duly submitted to the Bureau of Internal Revenue, and which form part of our Bid, the summary of our firm's financial condition is as given below:

	Year [YEAR]
1. Total Assets	
2. Current Assets	
3. Total Liabilities	
4. Current Liabilities	
5. Net Worth (1-3)	
6. Net Working Capital (2-4)	

Based on the aforementioned data and the Value of Outstanding Works from the Statement of All Ongoing Government and Private Contracts, which also form part of our Bid, our Net Financial Contracting Capacity (NFCC) is:

NFCC = [(current asset minus current liabilities) ($\underline{15}$)] minus [value of all outstanding or uncompleted portions of the projects under ongoing contracts including awarded contracts yet to be started coinciding with the contract to be bid].

NFCC =

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title]

[Date]

FINANCIAL BID FORM

To: Tarlac State University		
Re: Invitation to Bid No.		
	Date :	
	Dutc	
	Project Invitation to Bid No.:	

To: Tarlac State University

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose						
of agent Currency Commission or gratuity						
(if none, state "None")]						

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:
Legal capacity:
Signature:
Ouly authorized to sign the Bid for and behalf of:
Date:

[Date]

To: Tarlac State University Re: Invitation to Bid No.

SCHEDULE OF PRICES

Item No.	Description	Qty.	Unit	Unit Price	Total Price
Lot N	o. 1 – Medical Supplies		-		
1.	ALCOHOL,	9	gallon		
	Ethyl, 70% - in container, 1 gallon, Exp. Date not				
	less than 2yrs				
2.	ALCOHOL,	10	bottle		
	Ethyl, 70% Solution, 1000 mL with pump, Exp.				
	Date not less than 2yrs				
4.	ALCOHOL,	10	piece		
	Isopropyl Alcohol Pump, 1 Liter, 70% Solution,				
	Disinfectant, Antiseptic				
5.	ALCOHOL,	90	bottle		
	Isopropyl, 500ml,70%, Exp. Date not less than				
	2yrs,				
7.	BAND AID,	10	box		
	Plastic strips 100 pcs/box, Exp. Date not less				
	than 2yrs				
8.	BANDAGE,	3	box		
_	Adhesive, Butterfly strips	_			
9.	BANDAGE,	3	box		
1.0	Adhesive, Fingertip		,		
10.	BANDAGE,	3	box		
1.1	Adhesive, Knuckle	2	1		
11.	BANDAGE,	3	pack		
10	Adhesive, Patch Large (2"x4")	10	1		
12.	BIB,	10	pack		
1.2	assorted color 100 pcs/pack	2	1		
13.	BLOOD LANCET,	2	box		
	Disposable, Sterile, made of premium surgical				
	steel. Easy twist to remove needle cover, Exp.				
14.	Date not less than 2yrs BLOOD PRESSURE MONITOR,	6	unit		+
14.	Digital Pressure Monitor Display: LCD Digital	U	uiiit		
	Display; Memory: 120 Memories in 4 groups				
	with Date & Time; Irregular Heartbeat				
	Detection; Last 3 Results Average; Low Battery				
	Detection; Automatic Power-Off Power Source:				
	4 AA Batteries; Unit Weight: 395g; Unit				
	Dimension: 110x155x70mm; Cuff				
	Circumference: 22-40cm; Included: Adaptor				
15.	BP CUFF,	1	piece		
	for cardiac monitor, 22-40cm		1		

		ı		1	1
16.	CANISTER, Stainless Cotton Canister size 4inch	9	piece		
17		1.5	nicas		
17.	CANNULA, IV, Gauge, 20, Exp. Date not less than 2yrs	15	piece		
18.	CANNULA,	15	piece		
10.	IV, Gauge, 22, Exp. Date not less than 2yrs	15	prece		
19	CANNULA,	15	piece		
19	, ·	13	piece		
20	IV, Gauge, 24, Exp. Date not less than 2yrs		•		
20.	CONTAINER,	5	piece		
	for Sharps/ Needles, 15 liters, puncture proof	_			
21.	COTTON SWAB,	5	box		
	cotton tipped applicator with 6" wood shaft,				
	single-tip, sterile, 1000/box				
22.	COTTON,	30	pack		
	Balls, pure and absorbent cotton, 150pcs/pack				
23.	CUP,	25	pack		
	made of paper, disposable, 6 oz, 50pcs/pack for		-		
	visitors 1 bottle per color				
24.	DIAGNOSTIC SET,	1	unit		
	Welch Allyn Compacset Portable Diagnostic Set,	-	67111		
	2.5V Compact Set & Rechargeable Batteries.				
	Integrates both a full-featured ophthalmoscope				
	and fiber-optic otoscope into one durable, easy to				
	use instrument. Fold-away design keeps				
	instruments protected on the go. Integrated into				
	one, easy-to-use instrument. Halogen				
	illumination gives brighter, whiter, long-lasting				
	light. Instrument heads swivel for easy access				
	from any position. Powered by AA or				
	rechargeable batteries				
25.	ECG PAPER,	4	pack		
	ECG paper is foldable (Z-fold), with a millimeter				
	striping and a black marking. It is compatible with				
	Edan SE-601. Available with dimensions				
	of 110mm x 140mm. Each package includes 144				
	sheets				
26.	ELASTIC BANDAGE,	50	piece		
	Brown 2"		-		
27.	ELASTIC BANDAGE,	50	piece		
	Brown 3"		1		
28.	ELASTIC BANDAGE,	20	piece		
	Brown 4"	_~	r		
29.	MASK,	25	box		
2).	Surgical Face Mask, 3ply, with ear loop,	45	JUA		
	disposable, 50pcs/box, FDA Registered, Exp.				
20	Date not less than 2yrs		1		
30.	FACE MASK,	5	box		
21	N95 Respirator N95 Face Mask; box of 20		•		
31.	FORCEPS,	6	piece		
	Alligator	_			
32.	FORCEPS,	3	piece		
	College Tweezer				
33.	FORCEPS,	10	piece		
	Kelly, Curve, 5.5 inches				

2.4	EODGEDG	2	•		
34.	FORCEPS, Kelly, Curve, 7 inches	3	piece		
25	-	10	nicas		
35.	FORCEPS, Kelly, Straight, 5.5 inches	10	piece		
36.	FORCEPS,	3	piece		
30.	Kelly, Straight, 7 inches	3	piece		
37.	FORCEPS,	3	piece		
37.	needle holder, 5.5 inches	3	piece		
38.	FORCEPS,	3	niono		
36.	needle holder, 7 inches	3	piece		
20		2			
39.	FORCEPS, Thumb	3	piece		
40.	FORCEPS,	3	nioco		
40.	Tissue	3	piece		
4.1		50			
41.	GAUZE PAD,	50	piece		
40	Eye patch, Exp. Date not less than 2yrs	2	1		
42.	GAUZE PAD,	3	box		
	Sterile, 2x2, 100 pcs/box, Exp. Date not less than				
42	3yrs	2	1		
43.	GAUZE PAD,	3	box		
	Sterile, 4x4, 100 pcs/box, Exp. Date not less than				
	3yrs				
44.	GLOVES,	5	box		
	disposable, nitrile, powder free, large, Exp. Date				
	not less than 3yrs				
45.	GLOVES,	5	box		
	Disposable/Nitrile/powder Free Medium, Exp.				
	Date not less than 3yrs				
46.	GLOVES,	10	piece		
	Sterile, size 8, Exp. Date not less than 3yrs				
47.	GLUCOMETER,	15	box		
	TEST STRIP,				
	One Touch Select: Code 25, Exp. Date not less				
	than 2yrs				
48.	HOT WATER BAG,	6	piece		
	1000ml				
49.	HOT WATER BAG,	6	piece		
	500ml				
50.	INFUSION SET,	10	piece		
	IV, Macroset, Exp. Date not less than 2yrs				
51.	INFUSION SET,	10	piece		
	IV, Microset, Exp. Date not less than 2yrs				
52.	MULTI-FUNCTION MONITORING SYSTEM,	3	unit		
	Easytouch GCHb Glucose Cholesterol &				
	Hemoglobin 3in1 Starter Kit Monitor your				
	Glucose (sugar), Cholesterol and Hemoglobin				
	using 1 Machine! - Portable and handy. Can be				
	used anytime, anywhere! - Few blood sample				
	needed Fast test results in seconds. Content:				
	GCU meter, Glucose strips 10pcs, Cholesterol				
	strips 2pcs, Hemoglobin strips 5pcs, Lancing Pen				
	Device & Lancets 20pcs, Manual, logbook and				
	warranty card, Check strip, 2 years warranty &				
	Lifetime service				
L	15			1	1

53.	NASAL CANNULA,	20	piece		
	For non-toxic PVC Compound, 1.8 meters of non-		Г		
	kink star lumen PVC tubing Nasal prongs made				
	of soft PVC				
54.	NEBULIZING KIT,	20	piece		
	NEBULIZATION KIT, Neb Kit with		1		
	mouthpiece and mask				
55.	NEEDLE DESTROYER,	8	unit		
	Round Shape Hub and needle of syringe were cut				
	in one shot. Cuts needle at the hub no needle				
	sharps remaining on the syringe after the cut.				
	Separates needle and syringe at the point-of-use.				
	Minimal splatter Puncture-resistant container.				
	Encloses needles securely in the hard plastic				
	container Convenience does not require				
	electricity to operate. It is manual Cuts and holds				
	200- 300needles, depending on needle size. Easy				
	to dispose can be incinerated or buried in pit				
56.	NEEDLE GAUGE,	1	box		
	25 (25Gx1")				
57.	PAPER BAG,	10	pack		
	Brown kraft paper bag, 3.5x2x6.5 inches				
	(100pcs/pack)				
58.	PAPER BAG,	10	pack		
	Brown kraft paper bag, 4 1/2 x 2 7/8 x8 inches				
	(100pcs/pack)				
59.	PAPER BAG,	5	pack		
	Brown kraft paper bag, 5 3/8 x 3 x 10 1/2 inches				
	(100pcs/pack)				
60.	PLASTIC BAG,	4	pack		
	Resealable Ziplock bag 8x9 1/2 inches				
61.	PLASTIC BAG,	4	pack		
	Resealable Ziplock bag Medium 5 1/2x8 inches				
62.	REFRIGERANT,	1	unit		
	7.4 cu.ft. Refrigerator TMF All-around Cooling				
	Refined Inox 2 door, Net Dimension				
	(WxHxD)(mm) - 555 x 1445 x 637 mm, Material				
- 60	- Tempered Glass, Ice tray – San Isidro Clinic	1	•.		
63.	REFRIGERANT,	1	unit		
	8.4 cu.ft. Refrigerator TMF All-around Cooling				
	Refined Inox 2 door, Net Dimension				
	(WxHxD)(mm) - 555 x 1545 x 637 mm, Cooling				
	Type - All-around Cooling, Deodorizer Type –				
	Deodorizer, Shelf Material - Tempered Glass, Icemaker - Twist ice maker – Lucinda Clinic				
64.	SCALP VEIN SET,	1	box		
04.	Gauge 25, 50pcs/box	1	UUX		
65.	SCALPEL,	3	piece		
05.	Medical grade, #4	5	piece		
66.	SCISSOR,	6	piece		
00.	Bandage	J	piece		
67.	SCISSOR,	10	piece		
07.	Mayo curved 7 inches	10	proce		
68.	SCISSOR,	3	piece		
	16	-	r	<u> </u>]

10		Mayo straight 5.5 inches			
Mayo straight 7 inches	69	, ,	10	niece	
70. SCISSOR, Metzenbaum, 5.5 inches, curve 71. SCISSOR, Metzenbaum, 5.5 inches, straight 72. SCISSOR, Metzenbaum, 8 inches, curve 73. SCISSOR, Metzenbaum, 8 inches, curve 73. SCISSOR, Metzenbaum, 8 inches, straight 74. SCISSOR, 2 piece 75. SPRAY, 15 can 76. SPRAY, 15 can 77. STERILE POUCH, 3 roll 78. STERILE TONGUE DEPRESSOR, 3 box 79. Wooden 78. STERILZATION POUCH, self-sealing, size: 3.5" x 10" (90 x 260mm) 200pcs/box 79. SURGICAL BLADE, 1 box Stainless steel, #20, 100's 80. SURGICAL BLADE, 1 box Stainless steel, #20, 100's 81. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 82. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, 5 piece Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, 5 piece Silk 0, Exp. Date not less than 3yrs 86. SYRNGE, 1 box 87. SYRNGE, 1 box 89. SYRNGE, 1 box 89. SYRNGE, 1 box SYRNGE, 1 box 2 SYRNGE, 1 box 2 box 2 piece 2 box 2 piece 2 box 2 piece 2 box 3 box 4	05.	· ·	10	piece	
Metzenbaum, 5.5 inches, curve	70		3	niece	
71. SCISSOR, 2 piece	/0.	1	3	piece	
Metzenbaum, 5.5 inches, straight 72. SCISSOR, Metzenbaum, 8 inches, curve 73. SCISSOR, Metzenbaum, 8 inches, straight 74. SCISSOR, Spencer Stitch Scissors, 3.5 inches 75. SPRAY, Disinfectant, 510ml 76. STERILE POUCH, Medical grade paper + medical high performance film PET flat roll 8 inches x 30meters 77. STERILE TONGUE DEPRESSOR, Wooden 78. STERILEZATION POUCH, self-sealing, size: 3.5" x 10" (90 x 260mm) 200pcs/box 79. SURGICAL BLADE, Stainless steel, #20, 100's 80. SURGICAL BLADE, Stainless steel, #21, 100's 81. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 82. SURGICAL TAPE, Transparent, 2"x 10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 2"x 10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 m. Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 1 c, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without needle), Box of 200 81. Syringe, with Luer Slip Tip (without needle), Box of 200 82. SYRINGE, 1 box 1	71		2	niece	
72. SCISSOR, 2 piece	/1.	· · · · · · · · · · · · · · · · · · ·	2	piece	
Metzenbaum, 8 inches, curve 73. SCISSOR, Metzenbaum, 8 inches, straight 74. SCISSOR, Spencer Stitch Scissors, 3.5 inches 75. SPRAY, Disinfectant, 510ml 76. STERILE POUCH, Medical grade paper + medical high performance film PET flat roll 8 inches x 30meters 77. STERILE TONGUE DEPRESSOR, Wooden 78. STERILE TONGUE DEPRESSOR, Wooden 78. STERILIZATION POUCH, self-sealing, size: 3.5" x 10" (90 x 260mm) 200pcs/box 79. SURGICAL BLADE, Stainless steel, #20, 100's 80. SURGICAL BLADE, Stainless steel, #21, 100's 81. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily bat tears easily 82. SURGICAL TAPE, Transparent, 12"x10 yards, perforated plastic tape that tears easily bat tears easily 83. SURGICAL TAPE, Transparent, 2" x 10 yards, perforated plastic tape that tears easily bat tears easily 84. SUTURE NEEDLE, Sik 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Sik 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 c, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without needle), Box of 200 89. SYRINGE, 1 c, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 1 loox 1 box	72		2	nicos	
73. SCISSOR, Metzenbaum, 8 inches, straight 2 piece	12.	· · · · · · · · · · · · · · · · · · ·	2	piece	
Metzenbaum, 8 inches, straight 74. SCISSOR. Spencer Stitch Scissors, 3.5 inches 75. SPRAY, Disinfectant, 510ml 76. STERILE POUCH, Medical grade paper + medical high performance film PET flat roll 8 inches x 30meters 77. STERILE TONGUE DEPRESSOR, Wooden 78. STERILZATION POUCH, self-sealing, size: 3.5" x 10" (90 x 260mm) 200pcs/box 79. SURGICAL BLADE, Stainless steel, #20, 100's 80. SURGICAL BLADE, Stainless steel, #21, 100's 81. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 82. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 10 mL Syringe with Luer Slip Tip (without 11 box 11 box 12 box 13 box 15 can 16 can 15 can 16 can 16 box 11 box 12 box 13 box 14 box 15 piece 16 box 16 box 16 box 17 box 18 box 19 box 10 box 10 box 10 box 11 box 11 box 11 box 11 box 11 box 11 box 12 box 13 box 14 box 15 box 16 box 17 box 18 box 19 box 19 box 10 box 10 box 10 box 10 box 10 box 10 box 11 box 12 box 13 box 14 box 15 box 16 box 17 box 18 box 19 box 19 box 19 box 19 box 10 box	72		2	nicos	
74. SCISSOR, Spencer Stitch Scissors, 3.5 inches Stern Le Pouch, Disinfectant, 510ml STERILE POUCH, Medical grade paper + medical high performance film PET flat roll 8 inches x 30meters STERILE TONGUE DEPRESSOR, Wooden STERILE TONGUE DEPRESSOR, SURGICAL BLADE, SURGICAL BLADE, Stainless steel, #20, 100's SURGICAL BLADE, Stainless steel, #20, 100's SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily SURGICAL TAPE, Transparent, 1"x 10 yards, perforated plastic tape that tears easily SURGICAL TAPE, Silk 0, Exp. Date not less than 3yrs SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs SURGICAL TAPE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs SURGICAL TAPE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs SURGICAL TAPE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs SURGICAL TAPE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs SURGICAL TAPE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs SURGICAL TAPE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs SURGICAL TAPE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs SURGICAL Cutting needle, Exp. Date not less than 3yrs SURGICAL Cutting needle, Exp. Date not less than 3yrs SURGICAL Cutting needle, Exp. Date not less than 3yrs SURGICAL Cutting needle, Exp. Date not less than 3yrs SURGICAL Cutting needle, Exp. Date not less than 3yrs SURGICAL Cutting needle, Exp. Date not less than 3yrs SURGICAL Cutting needle, Exp. Date not less than 3yrs SURGICAL Cutting needle, Exp. Date not less than 3yrs SURGICA	/3.		2	piece	
Spencer Stitch Scissors, 3.5 inches 15 Can	7.4		2		
75. SPRAY, Disinfectant, 510ml 76. STERILE POUCH, Medical grade paper + medical high performance film PET flat roll 8 inches x 30meters 77. STERILE TONGUE DEPRESSOR, Wooden 78. STERILIZATION POUCH, self-sealing, size: 3.5" x 10" (90 x 260mm) 200pcs/box 79. SURGICAL BLADE, Stainless steel, #20, 100's 80. SURGICAL BLADE, Stainless steel, #21, 100's 81. SURGICAL BLADE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 82. SURGICAL TAPE, Transparent, 1/2x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 1/2x10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3.6 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 ml. Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 1 box SYRINGE, 1 box SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 1 box SYRINGE, 1 box SYRINGE, 20 ml. Syringe with Luer Slip Tip (without the self-self-self-self-self-self-self-self-	/4.	· ·	2	piece	
Disinfectant, 510ml STERILE POUCH, Medical grade paper + medical high performance film PET flat roll 8 inches x 30meters	7.5		1.7		
76. STERILE POUCH, Medical grade paper + medical high performance film PET flat roll 8 inches x 30meters 77. STERILE TONGUE DEPRESSOR, Wooden 78. STERILIZATION POUCH, self-sealing, size: 3.5" x 10" (90 x 260mm) 200pcs/box 79. SURGICAL BLADE, Stainless steel, #20, 100's 80. SURGICAL BLADE, Stainless steel, #21, 100's 81. SURGICAL BLADE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 82. SURGICAL TAPE, Transparent, 1'2'x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 1'2'x 10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 box 87 SYRINGE, 1 box 89. SYRINGE, 1 box	/5.	1	15	can	
Medical grade paper + medical high performance film PET flat roll 8 inches x 30meters 77. STERILE TONGUE DEPRESSOR, Wooden 78. STERILIZATION POUCH, self-sealing, size: 3.5" x 10" (90 x 260mm) 200pcs/box 79. SURGICAL BLADE, 1 box Stainless steel, #20, 100's 80. SURGICAL BLADE, 1 box Stainless steel, #21, 100's 81. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 82. SURGICAL TAPE, Transparent, 1.12x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 1.12x10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, 5 piece Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 box 87. SYRINGE, 1 box 88. SYRINGE, 1 box	7.0	· · · · · · · · · · · · · · · · · · ·	2	11	
film PET flat roll 8 inches x 30meters 77. STERILE TONGUE DEPRESSOR,	76.	<u> </u>	3	roll	
77. STERILE TONGUE DEPRESSOR, Wooden 78. STERILIZATION POUCH, self-sealing, size: 3.5" x 10" (90 x 260mm) 200pcs/box 79. SURGICAL BLADE, Stainless steel, #20, 100's 80. SURGICAL BLADE, 1 box Stainless steel, #21, 100's 81. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 82. SURGICAL TAPE, Transparent, 1/2"x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 1,2"x10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, 5 piece 86. SYRINGE, 1 box					
Wooden 78. STERILIZATION POUCH, self-sealing, size: 3.5" x 10" (90 x 260mm) 200pcs/box 79. SURGICAL BLADE, 1 box 80. SURGICAL BLADE, 1 box 81. SURGICAL TAPE, 3 box Transparent, 1"x10 yards, perforated plastic tape that tears easily 82. SURGICAL TAPE, 3 box Transparent, 1/2x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, 2 box Transparent, 1/2x10 yards, perforated plastic tape that tears easily 84. SURGICAL TAPE, 5 piece Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, 5 piece Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 box 1 box 87. SYRINGE, 1 box 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 box 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 89. SYRINGE, 1 box 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 89. SYRINGE, 1 box 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 89. SYRINGE, 1 box 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 89. SYRINGE, 1 box 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 89. SYRINGE, 1 box 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 89. SYRINGE, 1 box 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 89. SYRINGE, 1 box 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 89. SYRINGE, 1 box 10 mL Syringe with Luer Slip Tip (without needle), Box of 200				1	
78. STERILIZATION POUCH, self-sealing, size: 3.5" x 10" (90 x 260mm) 200pcs/box 79. SURGICAL BLADE, 1 box Stainless steel, #20, 100's 80. SURGICAL BLADE, 1 box Stainless steel, #21, 100's 81. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 82. SURGICAL TAPE, Transparent, 1/2'x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 2" x 10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, 5 piece Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, 5 piece Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 box 1 box 87. SYRINGE, 1 box	77.		3	box	
self-sealing, size: 3.5" x 10" (90 x 260mm) 200pcs/box 79. SURGICAL BLADE, Stainless steel, #20, 100's 80. SURGICAL BLADE, Stainless steel, #21, 100's 81. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 82. SURGICAL TAPE, Transparent, 1/2'x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 2" x 10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without syringe with Luer Slip Tip (without less than 3yrs) 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs) 1 box					
200pcs/box 79. SURGICAL BLADE, Stainless steel, #20, 100's 80. SURGICAL BLADE, Stainless steel, #21, 100's 81. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 82. SURGICAL TAPE, Transparent, 1/2'x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 1/2'x10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 89. SYRINGE, 1 box 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 89. SYRINGE, 10 mL Syringe with Luer Slip Tip (without less than 3yrs) 89. SYRINGE, 10 mL Syringe with Luer Slip Tip (without less than 3yrs) 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without Syringe With Luer Slip Tip (with	78.	· ·	11	box	
79. SURGICAL BLADE, Stainless steel, #20, 100's 80. SURGICAL BLADE, Stainless steel, #21, 100's 81. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 82. SURGICAL TAPE, Transparent, 1/2'x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 2" x 10 yards, perforated plastic tape that tears easily 84. SURGICAL TAPE, Transparent, 2" x 10 yards, perforated plastic tape that tears easily 85. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 86. SYRINGE, 1 box 87. SYRINGE, 1 box 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 box 89. SYRINGE, 1 box					
Stainless steel, #20, 100's 80. SURGICAL BLADE, Stainless steel, #21, 100's 81. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 82. SURGICAL TAPE, Transparent, 1/2'x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 2" x 10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs		-			
80. SURGICAL BLADE, Stainless steel, #21, 100's 81. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 82. SURGICAL TAPE, Transparent, 1/2x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 2"x 10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 box 1 box 1 box 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 1 box 20 mL Syringe with Luer Slip Tip (without needle), Box of 200 mL Syringe with Luer Slip Tip (without needle), Box of 200	79.	, and the second	1	box	
Stainless steel, #21, 100's 81. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 82. SURGICAL TAPE, Transparent, 1/2'x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 2" x 10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs) 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs) 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs)					
81. SURGICAL TAPE, Transparent, 1"x10 yards, perforated plastic tape that tears easily 82. SURGICAL TAPE, Transparent, 1/2'x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 2"x 10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs) 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs)	80.	, and the second	1	box	
Transparent, 1"x10 yards, perforated plastic tape that tears easily 82. SURGICAL TAPE, Transparent, 1/2'x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 2" x 10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs) 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs)					
that tears easily 82. SURGICAL TAPE, Transparent, 1/2'x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 2" x 10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs) 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs)	81.	·	3	box	
82. SURGICAL TAPE, Transparent, 1/2'x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 2" x 10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs) 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs) 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs)					
Transparent, 1/2'x10 yards, perforated plastic tape that tears easily 83. SURGICAL TAPE, Transparent, 2" x 10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs) 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs) 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs)		-			
that tears easily 83. SURGICAL TAPE, Transparent, 2" x 10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without needle) Tip (w	82.	, and the second	3	box	
83. SURGICAL TAPE, Transparent, 2" x 10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 box 1 box 1 box 88. SYRINGE, 1 box 1 box 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without needle), Exp. Date not less than 3yrs 1 box					
Transparent, 2" x 10 yards, perforated plastic tape that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 box 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 1 box 1 box 1 box 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 box		·			
that tears easily 84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without needle) Box 20 mL Syringe with Luer Slip Tip (without needle) Box 3 box 3 box 4 box 5 piece 5 piece 5 piece 6 box 7 box 7 box 8 box 8 box 8 box 9	83.	, and the second	2	box	
84. SUTURE NEEDLE, Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without needle) Box of 200 Indicate the series of the series o					
Silk 0, Exp. Date not less than 3yrs 85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without needle) Tip (wit		•			
85. SUTURE NEEDLE, Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without needle) Hoox 20 mL Syringe with Luer Slip Tip (without needle) Hoox 21 box 22 box 35 piece 5 piece 5 piece 6 box 1	84.	<u> </u>	5	piece	
Silk 3-0 (cutting needle), Exp. Date not less than 3yrs 86. SYRINGE, 1 box 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 1 box 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 box 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 1 box 20 mL Syringe with Luer Slip Tip (without needle), Box 20 mL Syringe Needle), Box 20 mL Syringe Needle), Box 20 mL Syringe Needle), Bo		-			
86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without less than 3yrs) 1 box	85.	· · · · · · · · · · · · · · · · · · ·	5	piece	
86. SYRINGE, 1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without					
1 mL Syringe with Luer Slip Tip (without needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without		•			
needle), Box of 200 87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without	86.	1 · · · · · · · · · · · · · · · · · · ·	1	box	
87. SYRINGE, 10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without					
10 mL Syringe with Luer Slip Tip (without needle), Box of 200 88. SYRINGE, 1 box 1cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without					
needle), Box of 200 88. SYRINGE, 1 cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without	87.	·	1	box	
88. SYRINGE, 1cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without		1			
1cc, Luer Lock with needle, Exp. Date not less than 3yrs 89. SYRINGE, 1 box 20 mL Syringe with Luer Slip Tip (without		* · · · · · · · · · · · · · · · · · · ·			
than 3yrs 89. SYRINGE, 20 mL Syringe with Luer Slip Tip (without	88.	1 · · · · · · · · · · · · · · · · · · ·	1	box	
89. SYRINGE, 1 box 20 mL Syringe with Luer Slip Tip (without					
20 mL Syringe with Luer Slip Tip (without		·			
	89.	<u> </u>	1	box	
needle), Box of 200					
		needle), Box of 200			

	<u>, </u>				
90.	SYRINGE,	1	box		
	3cc, Luer Lock with needle, Exp. Date not less				
	than 3yrs				
91.	SYRINGE,	1	box		
	5 mL Syringe with Luer Slip Tip (without needle),				
	Box of 200				
92.	SYRINGE,	1	box		
	5cc, Luer Lock with needle, Exp. Date not less				
	than 3yrs				
93.	TAPE,	5	piece		
	Zinc Oxide tape size 2.5cmx5m		-		
94.	TEST STRIPS,	6	box		1
	Cholesterol 25pcs/bot, it should be same brand				
	as item no. 52				
95.	TEST STRIPS,	5	box		
	Hemoglobin 25pcs/bot, it should be same brand		00.1		
	as item no. 52				
96.	TEST STRIPS,	6	box		_
)0.	uric acid 25pcs/bot, it should be same brand as	0	UUX		
	item no. 52				
97.	THERMOMETER,	15	unit		+
97.	·	13	umi		
	Digital Thermometer for Axillary High accuracy				
	and fast response within 10 seconds, Large and				
	easy to read digital display, peak hold and auto				
	shut off function, Break resistant and child-safe				
	probe, Last temperature recall Signals when				
0.0	complete	0	• .		
98.	THERMOMETER,	8	unit		
	Forehead Thermometer Non-contact: can				
	measure body temperature without touching the				
	ear or the forehead, prevent cross-infection				
	between multiple people. Measurement Distance:				
	10mm-50mm				
99.	TRASH BAG,	10	pack		
	Yellow, 20liters (for infectious waste)				
100.	TRASH BAG,	5	pack		
	Yellow, XL (for infectious waste)				
101.	TRAY,	6	set		
	Instrument Tray & Cover Medical Grade 10" x 8"				
1	-			1	
	x 2"				
102.	x 2" TRAY,	9	set		
102.		9	set		
102.	TRAY,	9	set		
	TRAY, Instrument Tray & Cover Medical Grade 8. 5"X3"x1.5"	9			
102.	TRAY, Instrument Tray & Cover Medical Grade 8. 5"X3"x1.5" WEIGHING SCALE,		set		
	TRAY, Instrument Tray & Cover Medical Grade 8. 5"X3"x1.5" WEIGHING SCALE, Digital bathroom Weighing scale High precision				
	TRAY, Instrument Tray & Cover Medical Grade 8. 5"X3"x1.5" WEIGHING SCALE, Digital bathroom Weighing scale High precision strain gauge sensor, Glass platform, Backlight				
	TRAY, Instrument Tray & Cover Medical Grade 8. 5"X3"x1.5" WEIGHING SCALE, Digital bathroom Weighing scale High precision strain gauge sensor, Glass platform, Backlight LCD 73×27.5mm with temperature indication,				
	TRAY, Instrument Tray & Cover Medical Grade 8. 5"X3"x1.5" WEIGHING SCALE, Digital bathroom Weighing scale High precision strain gauge sensor, Glass platform, Backlight LCD 73×27.5mm with temperature indication, Capacity: 180kg/396lb D= 50g, Units: Kg/Lb,				
	TRAY, Instrument Tray & Cover Medical Grade 8. 5"X3"x1.5" WEIGHING SCALE, Digital bathroom Weighing scale High precision strain gauge sensor, Glass platform, Backlight LCD 73×27.5mm with temperature indication, Capacity: 180kg/396lb D= 50g, Units: Kg/Lb, Automatic on/off, Low battery/overload				
	TRAY, Instrument Tray & Cover Medical Grade 8. 5"X3"x1.5" WEIGHING SCALE, Digital bathroom Weighing scale High precision strain gauge sensor, Glass platform, Backlight LCD 73×27.5mm with temperature indication, Capacity: 180kg/396lb D= 50g, Units: Kg/Lb, Automatic on/off, Low battery/overload indication, Power:2xAAA batteries, 6 Months				
	TRAY, Instrument Tray & Cover Medical Grade 8. 5"X3"x1.5" WEIGHING SCALE, Digital bathroom Weighing scale High precision strain gauge sensor, Glass platform, Backlight LCD 73×27.5mm with temperature indication, Capacity: 180kg/396lb D= 50g, Units: Kg/Lb, Automatic on/off, Low battery/overload indication, Power:2xAAA batteries, 6 Months warranty on the weighing instrument main parts*				
103.	TRAY, Instrument Tray & Cover Medical Grade 8. 5"X3"x1.5" WEIGHING SCALE, Digital bathroom Weighing scale High precision strain gauge sensor, Glass platform, Backlight LCD 73×27.5mm with temperature indication, Capacity: 180kg/396lb D= 50g, Units: Kg/Lb, Automatic on/off, Low battery/overload indication, Power:2xAAA batteries, 6 Months warranty on the weighing instrument main parts* (extendable up to 1 Year)	2	unit		
	TRAY, Instrument Tray & Cover Medical Grade 8. 5"X3"x1.5" WEIGHING SCALE, Digital bathroom Weighing scale High precision strain gauge sensor, Glass platform, Backlight LCD 73×27.5mm with temperature indication, Capacity: 180kg/396lb D= 50g, Units: Kg/Lb, Automatic on/off, Low battery/overload indication, Power:2xAAA batteries, 6 Months warranty on the weighing instrument main parts*				

105.	WIPES,	30	pack				
	Hand and body wipes						
	Total Bid Amount for Lot No. 1						

[Signature]
[Name of Authorized Signatory]
[Position/Title of Authorized Signatory]

[Date]

To: Tarlac State University Re: Invitation to Bid No.

SCHEDULE OF PRICES

Item No.	Description	Qty.	Unit	Unit Price	Total Price
Lot N	o. 2 – Dental Supplies				
106.	BUR SURGICAL, round	10	piece		
107.	BUR SURGICAL, straight	10	piece		
108.	BUR, round	10	piece		
109.	BUR, straight	10	piece		
110.	COMPOSITE FILLING NANO HYBRID	4	box		
	UNIVERSAL RESTORATIVE-INTRO KIT,				
	Content: 12g Restorative paste, 3ml scotchbond,				
	universal etchant ,6g adhesive				
111.	COMPOSITE,	2	box		
	flowable composite 2g 3 syringe				
112.	COTTON,	20	bag		
	Roll, #1 non-sterile 50rolls/sleeve 10 sleeves/bag				
113.	COTTON,	5	pack		
	Roll, 400 Grams				
114.	DISINFECTANT,	10	bottle		
	Descosept AF 1L				
115.	DISTILLED WATER, 6L	20	bottle		
116.	FACE MASK,	5	box		
	Non-woven ear loop, 100/box				
117.	FACE SHIELD,	4	piece		
	for dental use				
118.	GAUZE PAD,	6	pack		
	Absorbent, (2x2)100pcs/pack				
119.	GLASS IONOMER,	4	bottle		
	liquid 20ml				
120.	GLASS IONOMER,	4	piece		
	powder 35g				
121.	GLOVES,	20	box		
	latex medical examination, large, 100/box, Micro				
	SuperGloves				
122.	GLOVES,	20	box		
	latex medical examination, medium, 100/box,				
100	Micro SuperGloves	4 =			
123.	GLOVES,	15	box		
	latex medical examination, small, 100/box, Micro				
104	SuperGloves	2	_ •.		
124.	HAND PIECE,	2	unit		
	High speed ceramic bearing; cooling method:3				
	holes spray water ,uniform cooling and good all-				

lighting:25000 LUX fiber brightness; Bearing:2.78mm ceramic bearing; Connector:2- hole connector; Air pressure:0.2-0.3Mpa; Size:16.588/36m/6.58.318.1.2in; Net weight:165g/5.8 oz; Gross weight:200g/7.1oz 125. HAND PIECE, Low speed straight nose hand piece contra angle air motor; Air pressure:0.25 Mpa-0.3Mpa; water pressure: 198kpa (2kg); forward rotation speed: 18(krpm); Reversal rotation speed: 16(krpm); Torque: 0.4N-0.4SN, Bur size: 2.334-2.335mm); water flow: 90(min/ml)10(min/ml); Water Pressure: 0.2Mpa-0.23 Mpa; Atomization pressure: 0.2 Mpa-0.35Mpa; Noise: <65dB; Chuck Type: push button type 126. HAND SANITIZER, 250ml 127. HEAD CAP, (100ps/pack) 128. IRM, 38g (liquid and powder set) 2 box KIT SYSTEM, Finishing and polishing system kit: Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.: Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing sites are used for molding, 180 polishing discs. 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (3) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • Alt components are autoclavable • Airflow in the mirror head helps reduce				I	1
Bearing: 2.78mm ceramic bearing: Connector:2-hole connector: Air pressure: 0.2-0.3Mpa; Size:16.58*83*cm/6.5*8.31*1.2in: Net weight: 165g/5.8 oz; Gross weight: 200g/7.1oz 125. HAND PIECE, Low speed straight nose hand piece contra angle air motor; Air pressure: 0.25 Mpa-0.3Mpa; water pressure: 198kpa (2kg); forward rotation speed: 18krpm); Reversal rotation speed: 18krpm); Reversal rotation speed: 18krpm); Reversal rotation speed: 16krpm); Torque: 0.4N-0.45N; Bur size: 2.334-2.335mm); water flow: 90(min/ml)110(min/ml); Water Pressure: 0.2 Mpa-0.23 Mpa; Atomization pressure: 0.3 Mpa-0.35Mpa); Noise: <65dB; Chuck Type: push button type 126. HAND SANITIZER, 250ml 127. HEAD CAP, (100pcs/pack) 128. IRM, 38g (ilquid and powder set) 129. KIT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits: Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc; Black: Trin; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing site resin step by step; product list: 2 white sandsto		around cooling effect; Speed:35000-380000;			
hole connector; Air pressure:0.2-0.3Mpa; Size:16.5*8*3cm/6.5*8.3-1*1.2in; Net weight:165g/5.8 oz; Gross weight:200g/7.1oz 125. HAND PIECE. Low speed straight nose hand piece contra angle air motor; Air pressure:0.25 Mpa-0.3Mpa; water pressure: 198kpa (2kg); forward rotation speed: 18(krpm); Reversal rotation speed: 16(krpm); Torque: 0.4N-0.45N; Bur size: 2,334-2.335mm); water flow: 90(min/ml)110(min/ml); Water Pressure: 0.2Mpa-0.23 Mpa; Antonization pressure: 0.3 Mpa-0.35Mpa); Noise: <65dB; Chuck Type: push button type 126. HAND SANTIYZER, 250ml 127. HEAD CAP, 7 pack (100pcs/pack) 128. IRM, 38g (liquid and powder set) 2 box 129. KIT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc; Black: Trin; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing discs, 2 handles, 40 composite resin molding polishing discs, 2 handles with #5 double-sided mirrors (2) Hoscs 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents (5) Handles with #5 double-sided mirrors (2) Hoscs (2) 11 mm adapters (1) Cleaning brush Mouth Mirrors with Suction Provides excellent aspiration by connecting to the H.V.E. valve Acts as a mouth retractor and tongue guard All components are autoclavable Airflow in the mirror head helps reduce					
Size:16.5*8*3cm/6.5*3.1*1.2in; Net weight:165g/5.8 oz; Gross weight:200g/7.1oz 125. HAND PIECE, Low speed straight nose hand piece contra angle air motor; Air pressure:0.25 Mpa-0.3Mpa; water pressure: 198kpa (2kg); forward rotation speed: 18(krpm); Reversal rotation speed: 18(krpm); Reversal rotation speed: 16(krpm); Torque: 0.4N-0.45N; Bur size: 2.334-2.335mm); water flow: 90(min/ml)110(min/ml); Water Pressure: 0.2Mpa-0.23 Mpa; Atomization pressure: 0.3 Mpa-0.35Mpa); Noise: <65dB; Chuck Type: push button type 126. HAND SANITIZER, 250ml 127. HEAD CAP, (100pcs/pack) 128. IRM, 38g (liquid and powder set) 2 box Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; ed: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce		9			
weight:165g/5.8 oz; Gross weight:200g/7.1oz		hole connector; Air pressure:0.2-0.3Mpa;			
125. HAND PIECE, Low speed straight nose hand piece contra angle air motor; Air pressure: 0.25 Mpa-0.3Mpa; water pressure: 198kpa (2kg); forward rotation speed: 18(krpm); Reversal rotation speed: 16(krpm); Torque: 0.4N-0.45N; Bur size: 2,334-2.335mm); water flow: 90(min/ml)110(min/ml); Water Pressure: 0.2Mpa-0.23 Mpa; Atomization pressure: 0.3 Mpa-0.35Mpa); Noise: <65dB; Chuck Type; push button type 126. HAND SANITIZER, 250ml 127. HEAD CAP, (100pcs/pack) 128. IRM, 38g (Iquid and powder set) 129. KT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes: Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) Il mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce		Size:16.5*8*3cm/6.5*3.1*1.2in; Net			
125. HAND PIECE, Low speed straight nose hand piece contra angle air motor, Air pressure: 0.25 Mpa-0.3Mpa; water pressure: 198kpa (2kg); forward rotation speed: 18(krpm); Reversal rotation speed: 16(krpm); Torque: 0.4N-0.45N; Bur size: 2,334-2.35mm); water flow: 90(min/ml)110(min/ml); Water Pressure: 0.2Mpa-0.23 Mpa; Atomization pressure: 0.3 Mpa-0.35Mpa); Noise: <65dB; Chuck Type; push button type 126. HAND SANITIZER, 250ml 127. HEAD CAP, (100pcs/pack) 128. IRM, 38g (liquid and powder set) 129. KTT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) Il mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce		weight:165g/5.8 oz; Gross weight:200g/7.1oz			
air motor; Air pressure: 0.25 Mpa-0.3Mpa; water pressure: 198kpa (2kg); forward rotation speed: 18(kpm); Reversal rotation speed: 16(kpm); Torque: 0.4N-0.45N; Bur size: 2.334-2.335mm); water flow: 90(min/ml)110(min/ml); Water Pressure: 0.2 Mpa-0.23 Mpa; Atomization pressure: 0.3 Mpa-0.35Mpa); Noise: <65dB; Chuck Type: push button type 126. HAND SANITIZER, 250ml 127. HEAD CAP, 100pcs/pack) 128. IRM, 38g (liquid and powder set) 129. KIT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs. 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents	125.		2	unit	
air motor; Air pressure: 0.25 Mpa-0.3Mpa; water pressure: 198kpa (2kg); forward rotation speed: 18(kpm); Reversal rotation speed: 16(kpm); Torque: 0.4N-0.45N; Bur size: 2.334-2.335mm); water flow: 90(min/ml)110(min/ml); Water Pressure: 0.2 Mpa-0.23 Mpa; Atomization pressure: 0.3 Mpa-0.35Mpa); Noise: <65dB; Chuck Type: push button type 126. HAND SANITIZER, 250ml 127. HEAD CAP, 100pcs/pack) 128. IRM, 38g (liquid and powder set) 129. KIT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs. 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents		Low speed straight nose hand piece contra angle			
pressure: 198kpa (2kg); forward rotation speed: 18(krpm); Reversal rotation speed: 16(krpm); Torque: 0.4N-0.45N; Bur size: 2.334-2.335mm); water flow: 90(min/ml)110(min/ml); Water Pressure: 0.2Mpa-0.23 Mpa; Atomization pressure: 0.3 Mpa-0.35Mpa); Noise: <65dB; Chuck Type: push button type 126. HAND SANITIZER, 250ml 127. HEAD CAP. (100pcs/pack) 128. IRM, 38g (liquid and powder set) 2 box 129. KIT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (3) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce					
18(krpm); Reversal rotation speed: 16(krpm); Torque: 0.4N-0.4SN; Bur size: 2.334-2.335mm); water flow: 90(min/m)/11(min/ml); Water Pressure: 0.2Mpa-0.23 Mpa; Atomization pressure: 0.3 Mpa-0.35Mpa); Noise: <65dB; Chuck Type: push button type 126. HAND SANITIZER, 250ml 127. HEAD CAP, (100pcs/pack) 128. IRM, 38g (liquid and powder set) 129. KIT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameter/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step: product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (3) Handles with #5 double-sided mirrors • (2) Hoses • (2) II mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce					
Torque: 0.4N-0.45N; Bur size: 2.334-2.335nm); water flow: 90(min/ml)110(min/ml); Water Pressure: 0.2Mpa-0.23 Mpa; Atomization pressure: 0.2Mpa-0.35Mpa); Noise: <65dB; Chuck Type: push button type 126. HAND SANITIZER, 250ml 10 127. HEAD CAP, (100pcs/pack) 2 box 128. IRM, 38g (liquid and powder set) 2 box 149. KIT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing siste resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs. 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hosses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce					
water flow: 90(min/ml)110(min/ml); Water Pressure: 0.2Mpa-0.23 Mpa; Atomization pressure: 0.3 Mpa-0.35Mpa); Noise: <65dB; Chuck Type: push button type 126. HAND SANITIZER, 250ml 127. HEAD CAP, (100pcs/pack) 128. IRM, 38g (liquid and powder set) 2 box 129. KIT SYSTEM, 7 pack Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce					
Pressure: 0.2Mpa-0.23 Mpa; Atomization pressure: 0.3 Mpa-0.35Mpa); Noise: <65dB; Chuck Type: push button type 126. HAND SANITIZER, 250ml 127. HEAD CAP, (100pcs/pack) 128. IRM, 38g (liquid and powder set) 129. KIT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce					
pressure: 0.3 Mpa-0.35Mpa); Noise: <65dB; Chuck Type: push button type 126. HAND SANITIZER, 250ml 127. HEAD CAP, (100pcs/pack) 128. IRM, 38g (liquid and powder set) 129. KIT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce					
Chuck Type: push button type 126. HAND SANITIZER, 250ml 127. HEAD CAP, (100pcs/pack) 128. IRM, 38g (liquid and powder set) 129. KIT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoscs • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce					
126. HAND SANITIZER, 250ml 127. HEAD CAP, (100pcs/pack) 128. IRM, 38g (liquid and powder set) 129. KIT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce					
250ml 127. HEAD CAP, (100pcs/pack) 128. IRM, 38g (liquid and powder set) 129. KIT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce	106	VI I VI	1.0	11	
127. HEAD CAP, (100pcs/pack) 128. IRM, 38g (liquid and powder set) 129. KIT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce	126.	, and the second	10	bottle	
(100pcs/pack) 128. IRM, 38g (liquid and powder set) 2 box 129. KIT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce	105				
128. IRM, 38g (liquid and powder set) 129. KIT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) Il mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce	127.		7	pack	
129. KIT SYSTEM, Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce				_	
Finishing and polishing system kit; Diameter Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) Hoses • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce					
Size: Multiple Diameters/Sizes; Grit Size: multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce	129.	·	1	box	
multiple grits; Kit type: finishing & polishing system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce					
system kit; Product type: Extra-Thin Contouring and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce		Size: Multiple Diameters/Sizes; Grit Size:			
and Polishing Disc.; Black: Trim; Purple: rough polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents (5) Handles with #5 double-sided mirrors (2) Hoses (2) 11 mm adapters (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce		multiple grits; Kit type: finishing & polishing			
polish; Green: Fine polish; Red: superfine polish; it is used to polish the anterior teeth with compol silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce		system kit; Product type: Extra-Thin Contouring			
it is used to polish the anterior teeth with compo1 silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce		and Polishing Disc.; Black: Trim; Purple: rough			
silicon rubber grinding head is used for primary polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce		polish; Green: Fine polish; Red: superfine polish;			
polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce		it is used to polish the anterior teeth with compol			
polishing site resin step by step; product list: 2 white sandstones are used for molding, 180 polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 288 piece 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce		silicon rubber grinding head is used for primary			
polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce		polishing site resin step by step; product list: 2			
polishing discs, 2 handles, 40 composite resin molding polishing strips 130. MASK, KN95 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce					
molding polishing strips 130. MASK, KN95 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce		_			
130. MASK, KN95 131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce		-			
131. MIRROR SUCTION, Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce	130.	<u> </u>	288	piece	
Mirror Suction "Double-Sided" - "Introductory" Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce	131	,		-	
Kit Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce	131.	·		unit	
Contents • (5) Handles with #5 double-sided mirrors • (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce		_			
 (5) Handles with #5 double-sided mirrors (2) Hoses (2) 11 mm adapters (1) Cleaning brush Mouth Mirrors with Suction Provides excellent aspiration by connecting to the H.V.E. valve Acts as a mouth retractor and tongue guard All components are autoclavable Airflow in the mirror head helps reduce 					
• (2) Hoses • (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce					
• (2) 11 mm adapters • (1) Cleaning brush Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce					
 (1) Cleaning brush Mouth Mirrors with Suction Provides excellent aspiration by connecting to the H.V.E. valve Acts as a mouth retractor and tongue guard All components are autoclavable Airflow in the mirror head helps reduce 					
Mouth Mirrors with Suction • Provides excellent aspiration by connecting to the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce		_ ` '			
 Provides excellent aspiration by connecting to the H.V.E. valve Acts as a mouth retractor and tongue guard All components are autoclavable Airflow in the mirror head helps reduce 		\ /			
the H.V.E. valve • Acts as a mouth retractor and tongue guard • All components are autoclavable • Airflow in the mirror head helps reduce					
 Acts as a mouth retractor and tongue guard All components are autoclavable Airflow in the mirror head helps reduce 					
• All components are autoclavable • Airflow in the mirror head helps reduce					
Airflow in the mirror head helps reduce					
		<u> </u>			
Litogging		_			
		fogging			
Product Information:					
•Condition: New					
•Warranty: Satisfaction Guaranteed		Warranty: Satisfaction Guaranteed			

132.	MOUTH MIRROR,	piece				
	#4 (US Dontics)	r				
133.	NEEDLE,	box				
	disposable dental 27G-long					
134.	OR GOWN,	piece				
	disposable (for patients)	1				
135.	ORAL RINSE,	bottle				
	Chlorhexidine Gluconate 0.12% 500ml					
136.	POLISHING STRIPS,	box				
	Dental Polishing Strips Polyester 4 MM Fine					
	Grit (One Side) 100/Package					
	• for contouring and finishing of composite					
	restorations					
	• one sided (fine/medium grit)					
	coated with aluminum oxide					
	• 100 strips per pack					
	• 4 mm width					
137.	SALIVA EJECTOR,	pack				
	disposable, PVC material					
138.	SHOE COVER,	pair				
	booties or shoe cover, disposable					
139.	SUIT, PPE	piece				
140.	SYRUP TANK,	unit				
	For Soda Machine, Capacity: 2.5Gal or 5Gal;					
	Material: 304 Stainless steel; Diameter: about					
	214mm; Height: about 410mm (2.5Gal), 645mm					
	(5Gal); Max Pressure: 9 Bar (130 psi)					
	Total Bid Amount for Lot No.2					

[Signature]
[Name of Authorized Signatory]
[Position/Title of Authorized Signatory]