

Republic of the Philippine TARLAC STATE UNIVERSITY

Romulo Blvd., San Vicente, Tarlac City Tel. No.: (045) 982 4630 Website: www.tsu.edu.ph

Bidding Documents

(This Bidding Documents is in conformance with the Sixth Edition of the Philippine Bidding Documents for the Procurement of Goods)

For the Project

Supply and Delivery of Hardware Supplies for Instructional Use (APP 2025 – 1st Quarter)

With an Approved Budget for the Contract (ABC) of Two Million Two Hundred Thirty-Five Thousand Six Hundred Thirty Pesos (₱ 2,235,630.00)

Invitation to Bid No. Goods 2025-012 PhilGEPS Reference No.: 11967440

July 2020 6th Edition

TABLE OF CONTENTS

Glossary of Acronyms, Terms, and Abbreviations	1
Section I. Invitation to Bid	4
Section II. Instructions to Bidders	6
1. Scope of Bid	6
2. Funding Information	6
3. Bidding Requirements	6
4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	6
5. Eligible Bidders	6
6. Origin of Goods	7
7. Subcontracts	7
8. Pre-Bid Conference	7
9. Clarification and Amendment of Bidding Documents	7
10. Documents Comprising the Bid: Eligibility and Technical Components	7
11. Documents Comprising the Bid: Financial Component	7
12. Bid Prices	8
13. Bid and Payment Currencies	8
14. Bid Security	8
15. Sealing and Marking of Bids	8
16. Deadline for Submission of Bids	9
17. Opening and Preliminary Examination of Bids	9
18. Domestic Preference	9
19. Detailed Evaluation and Comparison of Bids	9
20. Post Qualification	10
21. Signing of the Contract	10
Section III. Bid Data Sheet	11
Section IV. General Conditions of Contract	12
1. Scope of Contract	12
2. Advance Payment and Terms of Payment	12
3. Performance Security	12
4. Inspection and Tests	12
5. Warranty	12
6. Liability of the Supplier	13
Section V. Special Conditions of Contract	14
Section VI. Schedule of Requirements	16
Section VII. Technical Specifications	17
Section VIII. Checklist of Technical and Financial Documents	19
Section IX. Bidding Forms	20

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF - Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



Republic of the Philippine TARLAC STATE UNIVERSITY

Romulo Blvd., San Vicente, Tarlac City Tel. No.: (045) 982 4630 Website: www.tsu.edu.ph

INVITATION TO BID

For the Project

Supply and Delivery of Hardware Supplies for Instructional Uses (APP 2025 – 1st Quarter)

Invitation to Bid No. Goods 2025-012

1. The Tarlac State University, through Special Budget intends to apply the sum of **Two Million Two Hundred Thirty-Five Thousand Six Hundred Thirty Pesos** (₱ 2,235,630.00) to payments under the contracts for the project: **Supply and Delivery of Hardware Supplies for Instructional Use** (APP 2025 − 1st Quarter).

Bids received in excess of the ABC for shall be automatically rejected at bid opening.

Lot	Description	Qty.	Unit	ABC, ₱
No.				
1.	Automotive	1	Lot	187,140.00
	Technology Material			
	Supplies			
2.	Hardware Materials	1	Lot	1,558,790.00
3.	Mechatronics	1	Lot	489,700.00
	Technology Supplies			
			Grand Total:	2,235,630.00

- 1. The Tarlac State University now invites bids for the project **Supply and Delivery of Hardware Supplies for Instructional Use** (**APP 2025 1**st **Quarter**). Delivery of the Goods is required within **forty-five** (**45**) **calendar days** from the receipt of the Notice to Proceed. Bidders must have completed, within the last five (5) years prior to the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 2. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act".

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

3. Interested bidders may obtain further information from **Tarlac State University** and inspect the Bidding Documents at the address given below during Tuesday to Friday from 7:00 A.M. to 6:00 P.M:

BAC Secretariat

Motorpool and Administration Building Tarlac State University Romulo Blvd., San Vicente, Tarlac City Tel. No. (045) 606-8110-142 / 0998 846 0206

Email: bacsec@tsu.edu.ph

4. A complete set of Bidding Documents may be acquired by interested Bidders from **April 22, 2025, to May 13, 2025,** from the aforementioned address upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **P 5,000.00**.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

- 5. The Tarlac State University will hold a Pre-Bid Conference on **April 30, 2025 (2:00 P.M.)** at the Bids and Awards Committee Conference Room, 3rd Floor, Motorpool and Administration Building, Tarlac State University, Romulo Blvd., San Vicente, Tarlac City, which shall be open to prospective bidders.
- 6. Three (3) copies of the bid proposals (one original, and additional copy 1 and 2) must be submitted to the BAC which must be duly received by the BAC Secretariat through manual submission at the office address indicated in the bidding documents, on **May 13, 2025** at **1:30 P.M.** Failure of bidders to comply with the said request of additional copies shall not be a ground for disqualification.

Late submission shall not be accepted.

BAC Secretariat

Motorpool and Administration Building Tarlac State University Romulo Blvd., San Vicente, Tarlac City Tel. No. (045) 606-8110-142 / 0998 846 0206

Email: bacsec@tsu.edu.ph

- 7. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 8. Bid opening shall be on **May 13, 2025** at **2:00 P.M.**, at the Bids and Awards Committee Conference Room, 3rd Floor, Motorpool and Administration Building, Tarlac State University, Romulo Blvd., San Vicente, Tarlac City. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below.
- 9. The Summary of the procurement activities is as follows:

Activities	Date and Time	Venue
Posted to PhilGEPS	April 22, 2025	N/A
Pre-Bid Conference	April 30, 2025 (2:00 PM)	BAC Conference Room, 3 rd Floor, Motorpool and
Deadline of Submission of Bids	May 13, 2025 (1:30 PM)	Administration Building, Tarlac State University, Romulo Blvd., San
Opening of Bids	May 13, 2025 (2:00 PM)	Vicente, Tarlac City

- 10. The Tarlac State University reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 Revised IRR of RA 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

Ms. Jhenna Micah A. Manankil BAC Secretariat Motorpool and Administration Building Tarlac State University Romulo Blvd., San Vicente, Tarlac City Tel. No. (045) 606-8110-142 / 0998 846 0206

Email: bacsec@tsu.edu.ph

(SGD) ATTY. WILMARK J. RAMOS, *DBA*BAC Chairperson – Goods and Services

Section II. Instructions to Bidders

1. Scope of Bid

- 2. 1.1. The Tarlac State University wishes to receive Bids for the project: Supply and Delivery of Hardware Supplies for Instructional Use (APP 2025 1st Quarter), with identification number Invitation to Bid No. Goods 2025-012.
 - 1.2. The procurement project (referred to herein as "Project") is composed of **three** (3) **lots** the details of which are described in Section VII. Technical Specifications.

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for **2025** in the amount of ₱ **2,235,630.00**
- 2.2. The source of funding is the **Special Budget.**

3. Bidding Requirements

- 3.1. The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.
- 3.2. Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or IB by the BAC through the issuance of a supplemental or bid bulletin.
- 3.3. The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder must have a SLCC that is similar to the Project, as described in the **BDS**, with a value, adjusted to current prices using the PSA's CPI, that is at least equivalent to **twenty five percent** (25%) of the total ABC of the project.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that subcontracting is not allowed

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and at the address indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII. Checklist of Technical and Financial Documents**.
- 10.2. The Bidder's **SLCC** as indicated in **ITB** Clause 5.3 should have been completed **within five** (5) **years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII. Checklist of Technical and Financial Documents**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII. Technical Specifications**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **September 10, 2025**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

- 15.1. Each Bidder shall submit one copy of the first and second components of its Bid.
- 15.2. The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.
- 15.3. If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be

digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items are indicated in **Section VII. Technical Specifications**, and the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as one project having several lots that shall be awarded as separate contracts.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a **non-extendible period of five (5) calendar days** from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

ITB Clause			
5.3	For this purpose, contracts similar to the Project shall be the supply and delivery of similar goods comprising the Project.		
7.1	No further instructions.		
12	The price of the Goods shall be quoted DDP Tarlac City, Philippines or the applicable International Commercial Terms (INCOTERMS) for this Project.		
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than two percent (2 %) of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than five percent (5 %) of ABC if bid security is in Surety Bond.		
	The ABC for the project Lot No. ABC, Php 1. 187,140.00 2. 1,558,790.00 3. 489,700.00		
20.2	No further requirements.		
21.2	No further requirements.		

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV. Technical Specifications** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the

defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

GCC Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meaning assigned to them by the current edition of INCOTERMS published by the Internation Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	The delivery terms applicable to this Contract are delivered to Tarlac State Universit Romulo Blvd., San Vicente, Tarlac City. Risk and title will pass from the Supplier the Procuring Entity upon receipt and final acceptance of the Goods at their destination
	Delivery of the Goods shall be made by the Supplier in accordance with the term specified in Section VI. Schedule of Requirements.
	Packaging –
	The Supplier shall provide such packaging of the Goods as is required to prevent the damage or deterioration during transit to their final destination, as indicated in the Contract. The packaging shall be sufficient to withstand, without limitation, rough and ling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take in consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
	The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in an subsequent instructions ordered by the Procuring Entity.
	The outer packaging must be clearly marked on at least four (4) sides as follows:
	Name of the Procuring Entity Name of the Supplier
	Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions
	Any relevant HAZCHEM classifications A packaging list identifying the contents and quantities of the package is to be place on an accessible point of the outer packaging if practical. If not practical the packagin list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DD transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

The inspections and tests that will be conducted are: visual and sensory inspection and

4

Section VI. Schedule of Requirements

The delivery date for the Goods covered by the Contract shall be within forty-five (45) calendar days upon receipt of the Notice to Proceed.

Section VII. Technical Specifications

Item No.	Description				
	Hardware Supplies for Instructional Use				
	Lot No. 1 – Automotive Technology Material Supplies				
1.	Automotive Battery, 3SM Maintenance Free				
2.	Automotive Bulb, Double Contact (12v)				
3.	Automotive Bulb, Single Contact (12v)				
4.	Automotive Fuse, 15 Amp				
5.	Automotive Fuse, 20 Amp				
6.	Automotive Relay, 12v				
7.	Automotive Wire, #10				
8.	Automotive Wire, #12				
9.	Automotive Wire, T/14				
10.	Battery Terminal				
11.	Bulb, Led, 9w, White				
12.	Butane				
13.	Cable, Battery Cable				
14.	Carburator, Repair Kit 4k				
15.	Cleaner, Brake Cleaner				
16.	Cleaner, Carburator Cleaner				
17.	Coil, Ignition Coil				
18.	Connector, Automotive Male Female Connector				
19.	Cover, Maintenance Protective Cover (including driver and copilot cover,				
	rear 3 sea cover, steering cover and gear cover, color blue, anti-dirty seat,				
	waterproof, dustproof, use for maintenance and driving car				
20.	Diesel Engine Motor Oil, (Oil 40) Sae40				
22.	Flasher Relay, 12v				
23.	Fluid, Brake Fluid				
25.	Gloves, Mechanic Gloves, Size L, Color Black, microfiber material provide				
	dexterity to utilize tools and equipment.				
26.	Gloves, Mechanic Gloves, Size M, Color Black, microfiber material provide				
	dexterity to utilize tools and equipment.				
27.	Gloves, Mechanic Gloves, Size XL, Color Black, microfiber material				
	provide dexterity to utilize tools and equipment				
28.	Gloves, rubber gloves, adjustable arm, waterproof, oil resistant, nitrite,				
	stretchable, rubber, coated construction, high quality				
29.	Horn, Automotive Horn				
30.	Hydraulic Fluid, Oil 68				
31.	Ignition Switch, (Gasoline) Circuit Brand				
32.	Spark Plug, Short Tip				
33.	Suit, Overall Working Suit (Color Gray-Black, Size L) 80% polyester and				
	20p• cotton with 260g oxford fabric, reinforcement with oxford fabric on				
	knees durable, triple seam in spot prone to tearing relective peece around the				
2.4	chest to improve user safety, additional belt, for size adjustment				
34.	Suit, Overall Working Suit (Color Gray-Black, Size M) 80% polyester and				
	20'x• cotton with 260g oxford fabric, reinforcement with oxford fabric on				
	knees durable, triple seam in spot prone to tearing selective peece around the				
	chest to improve user safety, additional belt for size adjustment				

35.	Suit, Overall Working Suit (Color Gray-Black, Size XL) 80% polyester and 20% cotton with 260g oxford fabric, reinforcement with oxford fabric on
	knees durable, triple seam in spot prone to tearing relective peece around the chest to improve user safety, additional belt
	for size adjustment
36.	Tire Stopper, metal wheel chock tire stopper (non-slip, for tractor and car parking metal materials, Color Blue, Size Approx. 3.3"2.7"2.1cm
37.	Toggle Switch, 2 Way
38.	Toggle Switch, 3 Way
39.	Voltage Regulator, 12V
40.	Wire, High-tension Wire
	2 – Hardware Supplies
41.	Welding Mask Helmet, auto darkening, 19cm x 20cm x 36.5cm, with
	protective plate and UV / IR filter, legendary series, high quality, heavy duty,
	battery powered with solar assist, 2 independent arc sensors, ideal
	for tig rating, mig and stick welding
42.	Junction Box, 4 X 4
43.	Mask, Respirator Mask (Yellow/Black, Dust Chemical Paint Filter, Paint Chemical Respirator, PVC Material, For Acid Gases and Light Weight
44.	Outlet, Convenience Outlet, 2 Gang
45.	PVC, Pipe Orange,1/2 Dia Thick Wall
46.	Receptacle, 4 In.
47.	Safety Boots, Size 42 Eur, steel toe cap, shock absorber, oil resistant, heavy
	duty, high quality
48.	Safety Boots, Size 43 Eur, steel toe cap, shock absorber, oil resistant, heavy
	duty, high quality
49.	Safety Boots, Size 44 Eur, steel toe cap, shock absorber, oil resistant, heavy
	duty, high quality
50.	Safety Boots, Safety Boots, Size 41 Eur, steel toe cap, shock absorber, oil
	resistant, heavy duty, high quality
51.	Safety Boots, Safety Boots, Size 45 Eur, steel toe cap, shock absorber, oil
- 50	resistant, heavy duty, high quality
52.	Sandpaper, Grit 100, Color Black, 3M waterproof silicon carbide, size 28"23cm, made of high-quality carbide materials, durable and practical to use
53.	Sandpaper, Grit 1000, Color Black, 3M waterproof silicon carbide, size
	28*23cm, made of high-quality carbide materials, durable and practical to
	use
54.	Sandpaper, Grit 120, Color Black, 3M waterproof silicon carbide, size
	28*23cm, made of high-quality carbide materials, durable and practical to
	use
55.	Sandpaper, Grit 1500, Color Black, 3M waterproof silicon carbide, size
	28"23cm, made of high-quality carbide materials, durable and practical to
	use
56.	Sandpaper, Grit2000, Color Black, 3M waterproof silicon carbide, size
	28"23cm, made of high-quality carbide materials, durable and practical to
	use
57.	Stripper, Wire Stripper Color Red-Black, Size 8 * 200mm, high quality, with
	steel brush, color black, plastic handle 23cm length, 11cm
58.	Switch, 2 Gang
59.	Tape, Electrical
60.	Utility Box, 2 1/2 "X" 4
61.	Wire, THHN Wire #10
62.	Wire, THHN Wire #12

63.	Wire, THHN Wire #14
64.	Angle Grinder, 4inch. Dia Grinding Disc
65.	Bell, 24VDC
66.	Brush, Steel Brush
67.	Circuit Breaker, 20 Amp
68.	Circuit Breaker, Miniature Circuit Breaker 15 Amperes 2poles
69.	Circuit Breaker, Miniature Circuit Breaker 20 Amperes 2 poles
70.	Circuit Breaker, Miniature Circuit Breaker 30 Amperes 2poles
71.	Circuit Breaker, Miniature Circuit Breaker 40 Amperes 2poles
72.	Circuit Breaker, Miniature Circuit Breaker 50 Amperes 2poles
73.	Circuit Breaker, Panel Box 3x3 (6 Holes) For Plug-In Type Breakers
74.	Circuit Breaker, Plug-In Type Circuit Breaker 15 Amperes 2poles
75.	Circuit Breaker, Plug-In Type Circuit Breaker 20 Amperes 2poles
76.	Circuit Breaker, Plug-In Type Circuit Breaker 30 Amperes 2poles
77.	Circuit Breaker, Plug-In Type Circuit Breaker 40 Amperes 2poles
78.	Circuit Breaker, Plug-In Type Circuit Breaker 50 Amperes 2poles
79.	Circuit Breaker, Power Panel Set/Assembly W/ 4pcs Circuit Breaker
80.	Clamp, C-Clamp
81.	Cutting Disc, Circular Cutting Disc, 4 Inch. Dia
82.	Cutting Disc, Cutting Disc, Super Thin, 4 Inch Dia.
83.	Cutting Disc, Grinding Disc, 4 Inch. Dia
84.	Cutting Tip, Plasma Cutting Tip Cut 70
85.	Electrical Metallic Tubing, EMT (Electrical Metallic Tubing) 1/2" Dia. 10ft
86.	Emergency Stop Button, 10a
87.	Exhaust Fan, 15"
88.	Gloves, Insulated, Rubber, Large
89.	Gloves, Knitted, Cotton, Large
90.	Hammer, Ballpeen Hammer, 16 Oz
91.	Hammer, Chipping Hammer
92.	Hard Hat, Hard Hat, Osha-Approved Hard Hat, Specifications: Ansi Z89.1.
	29 CFR 1910.135 Classification Type: Type 1 Class E, Color: Blue, Material:
	Shell
93.	Hard Hat, Hard Hat, Osha-Approved Hard Hat, Specifications: Ansi Z89.1.
	29 CFR 1910.135 Classification Type: Type 1 Class G, Color: Blue
94.	Hard Hat, Hard Hat, Osha-Approved Hard Hat, Specifications: Ansi Z89.1.
	29 CFR 1910.135 Classification Type: Type 1 Class G, Color: White
95.	Hard Hat, Hard Hat, Osha-Approved Hard Hat, Specifications: Ansi Z89.1.
	29 CFR 1910.135 Classification Type: Type 1 Class G, Color: White, With
	4-Point Rachet Suspension, Material: Shell
96.	Holder, Magnetic Welding Holder
97.	Machine, Cut Off Machine 14 Inch Cutoff Saw 2000watts and above
98.	Magnetic Contactor, 220 VAC 10a, With Auxiliary Contact No/ Nc and
	Overload Protector
99.	Magnetic Contactor, 220 VAC 20a, With Auxiliary Contact No/ Nc and
	Overload Protector
100.	Magnetic Contactor, 220 VAC 30a, With Auxiliary Contact No/ Nc and
	Overload Protector
101.	Manual Call Point, 24vdc
102.	Mapp Gas
103.	Mechanical Plier, 10"
104.	Molding, Plastic Molding 1 1/2" X 1 1/2" 10ft
105.	Molding, Plastic Molding 1"X1" 10ft
106.	Molding, Plastic Molding 2"X2" 10ft

107.	Panel, Fire Detection and Alarm System Control Panel (Conventional)	
108.	Pipe Tube Bender, EMT Manual Bender (Pipe Tube Bender) 1/2"	
109.	Pipe, PVC Pipe Conduit (Electrical) 1/2" Dia.	
110.	Pipe, PVC Pipe Conduit (Electrical) 3/4" Dia	
111.	Riveter, Heavy Duty	
112.	Rivets, Blind Rivet, 1/8 X 1/2	
113.	Rivets, Blind Rivet, 5/32	
114.	Safety Goggles, Clear	
115.	Safety Harness, Full Protection Safety Harness, harness construction	
	adjustable belt with hook, made of high strength material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to 15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers	
116		
116.	Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (9ft V4ft V2/9 Inch)	
117. 118.	Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to	
110.	2000°f(1093°c), stick instantly melts at designated temperature for easy and immediate visual inspection, calibration-free with 100% reliability, accurate to within +/- 1% of Fahrenheit and +/- 3% celsius rated comply with preheat temperature requirements of AWS d1.1, asme code sec.	
	i, iii and viii, ANSI/ASME code b31.1 and b31.3.	
119.	Tong	
120.	Torch, Dual Tube Torch (Hand Torch)	
121.	Tungsten Filler	
122.	Tungsten Rod, 2mm	
123.	Welding Gloves, Leather	
124.	Welding Machine, Soo amp, Inverter, Potable	
125.	Welding Rod, Welding Rod (E7018), 20kg. /Box	
126.	Welding Rod, Welding Rode(E6011), 20kg. /Box	
127.	Wire, THHN/THWN Stranded Wire 4 10 150 Meters	
128.	Wire, THHN/THWN Stranded Wire # 12 150 Meters	
129.	Wire, THHN/THWN Stranded Wire # 14 150 Meters	
130.	Board, Copper Clad Board Single Sided 12 X 12	
131.	Board, Mini Bread Board for Electronics Prototyping	
132.	Soldering Iron - 60 Watts 220 - 240Volts (Pen Type)	
133.	Board, Soldering Lead Tin (PBSN) 60/40, 1 Mm Dia - 250 Grams	
134.	Electrode Holder, 300 Amps	
135.	Emergency Stop Button, 10a (N.0 + N.C)	
136.	Magnetic Contactor, Magnetic Contactor, 220 VAC 10a, With Auxiliary	
	Contact No/ Nc and Overload Protector	
137.	Magnetic Contactor, Magnetic Contactor, 220 VAC 20a, With Auxiliary	
	Contact No/ Nc and Overload Protector	
138.	Magnetic Contactor, Magnetic Contactor, 220 VAC 30a, With Auxiliary	
	Contact No/ Nc and Overload Protector	
139.	Tool Bit, Carbide, 1/4"	
140.	Tool Bit, Momax,1/4"	
141.	Tool Holder, Straight,1/4"	
	·•	

142.	Valve, Directional Control Valve 5/2 Way W/ 2 Soleniod Valve
143.	Welding Cable, 55 Square Mm
144.	Welding Rod, Welding Rod (E6013), 20kg./Box
145.	Relay, My4n-Gs Dc24v
146.	Lamp, Indicator Lamp Set 220vac
Lot No.	3 – Mechatronics Technology Supplies
147.	Sensor, Capacitive Proximity Sensor (Shielded Probe) 24vdc 15ma
148.	Sensor, Capacitive Proximity Sensor (Unshielded Probe) 24vdc 15ma
149.	Sensor, Inductive Proximity Sensor (Shielded Probe) 24vdc 15ma
150.	Sensor, Inductive Proximity Sensor (Unshielded Probe) 24vdc 15ma
151.	Sensor, Photoelectric Sensor 24VDC 3sma
152.	Sensor, Ultrasonic Sensor 24VDC 70ma
153.	Somatic, Plc (Simatic S7-200) Smart
154.	Sound And Light Alarm, Fire Sound and Light Alarm, 24vdc
155.	Switch, Limit Switch (Industrial Type) SPDT
156.	Switch, Push Button Switch (Normally Closed) 10a
157.	Switch, Push Button Switch (Normally Open) 10a
158.	Variable Frequency Drive, 2.2kw 220vac 1ph
159.	Variable Frequency Drive, 3.3kw 220vac 3ph
160.	Hose, Air Hose PVC - @4,2.5mm-L50m
161.	Relay, My4n-Gs Dc24v
162.	Spare Parts, Plc Simatic S7-200 Smart
	CPU Sr40
	6ES7 288-1SR40-0AA0
	Current: 0.5 A
	Manufacturer: Series Plc S7-200 I/O Points: 60 I/O Points
	Output Type: Digital 24V DC
163.	Switch, Lxw5-11 In 1 Limit Switch SPDT
164.	Switch, Push Button Switch (Normally Closed) 10a Red
165.	Switch, Push Button Switch (Normally Open) 10a Green
166.	Valve, Pneumatic Solenoid Valve 4v2110-08 AC 220V Double Coil Pilot-
	Operated Electric 2 Position S Way Connection Type

Section VIII. Bid Documents Checklist

This Bid Documents Checklist is provided to guide the Bidder in preparing his/her bid. The checklist may be used by the Bidder to verify if the Bid includes all the prescribed documents.

The Bidder, in submitting the required documents, must use the prescribed forms found in Section X. Bidding Forms. However, should a bidder choose to use a different formatting style for a required document, the bidder must ensure that the substance in the form given in Section X for that particular document is substantially captured in the equivalent document.

I. TECHNICAL COMPONENT ENVELOPE

II.

Class "A" Documents			
<u>Legal Doo</u>			
(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;		
<u>Technical</u>	! Documents		
(b)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and		
(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and		
(d)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission or Original copy of Notarized Bid Securing Declaration; and		
(e)	Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; and		
(f)	Original duly signed Omnibus Sworn Statement (OSS) and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.		
Financial	Documents		
(g)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.		
Class "B" Documents			
(h)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence <u>or</u> duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.		
FINANCI	AL COMPONENT ENVELOPE		
(i)	Original of duly signed and accomplished Financial Bid Form; and		
(j)	Original of duly signed and accomplished Price Schedule(s).		

Section IX. Bidding Forms

TABLE OF CONTENTS

A.	Elig	Eligibility and Technical Documents			
	b.	Statement of all on-going government and private contracts, including contracts awarded but not yet started, if any	25		
	c.	Statement of Single Largest Completed Contract (SLCC), similar to the contract to be bid, in accordance with ITB Clause 5.3	26		
	d.	Bid Securing Declaration or Bid Security, in the form, amount and validity period, as prescribed in ITB Clause 14.1	27		
	e. f.	Bidder's Compliance to the Technical Specifications Omnibus Sworn Statement, which shall be duly notarized	28 34		
	g.	NFCC Computation	36		
B. Fin	Fina	ancial Documents			
	i.	Financial Bid Form	37		
	i.	Schedule of Prices	39		

[Bidder's Letterhead]

Date

To: Tarlac State University Re: Invitation to Bid No.

List of All Ongoing Government and Private Contracts, Including Contracts Awarded But Not Yet Started

Row 1: Name of Contract Row 2: Location of Project Row 3: Contract Price	Row 1: Procuring Entity Row 2: Contact Person/Address Row 3: Telephone No.	Description of Goods	Row 1: Date of Award Row 2: Date Started Row 3: Contract Duration	Value of Outstanding Goods

Attached herewith are the following documents: Notice of Award, Notice to Proceed, and Official Receipts/Invoices, as evidences in support of the foregoing information.

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title]

[Bidder's Letterhead]

1 <i>1)ate</i> 1

To: Tarlac State University Re: Invitation to Bid No.

Statement of Single Largest Completed Contract Similar to the Contract to be Bid

Row 1: Name of Contract Row 2: Location	Contract Price	Row 1: Procuring Entity Row 2: Address Row 3: Contact Person/Tel. No.	Description of Goods	Date of Award	Date Completed

Attached herewith are the following documents: Contract Agreement, Notice of Award, Notice to Proceed, Official Receipt/Invoice, Certificate of Final Inspection, and Certificate of Acceptance, as evidences in support of the foregoing information.

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title

BID SECURING DECLARATION

REPU	BLIC OF THE PHILIPPINES)
CITY	OF) S.S.
Proje	ct Invitation to Bid No.: [Insert number]
To: Ta	rlac State University
I/We,	the undersigned, declare that:
1.	I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2.	I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3.	I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
	a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
	b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
	c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.
	TNESS WHEREOF, I/We have hereunto set my/our hand/s this day of [month] [year] at of execution].
	[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity]
	Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

[Bidder's Letterhead]

[Date]

To: Tarlac State University Re: Invitation to Bid No.

Compliance to the Technical Specifications

Item No.	Description	Bidder's Compliance State "Comply" below if your offer is complying with the specifications, otherwise state "We are offering the same goods with the following specifications [State the complete specifications of the alternative offer]
	ware Supplies for Instructional Use	
	o. 1 – Automotive Technology Material Supplies	
1.	Automotive Battery, 3SM Maintenance Free	
2.	Automotive Bulb, Double Contact (12v)	
3.	Automotive Bulb, Single Contact (12v)	
4.	Automotive Fuse, 15 Amp	
5.	Automotive Fuse, 20 Amp	
6.	Automotive Relay, 12v	
7.	Automotive Wire, #10	
8.	Automotive Wire, #12	
9.	Automotive Wire, T/14	
10.	Battery Terminal	
11.	Bulb, Led, 9w, White	
12.	Butane	
13.	Cable, Battery Cable	
14.	Carburator, Repair Kit 4k	
15.	Cleaner, Brake Cleaner	
16.	Cleaner, Carburator Cleaner	
17.	Coil, Ignition Coil	
18.	Connector, Automotive Male Female Connector	
19.	Cover, Maintenance Protective Cover (including driver and copilot	
	cover, rear 3 sea cover, steering cover and gear cover, color blue,	
	anti-dirty seat, waterproof, dustproof, use for maintenance and	
	driving car	
20.	Diesel Engine Motor Oil, (Oil 40) Sae40	
22.	Flasher Relay, 12v	
23.	Fluid, Brake Fluid	
25.	Gloves, Mechanic Gloves, Size L, Color Black, microfiber	
	material provide dexterity to utilize tools and equipment.	
26.	Gloves, Mechanic Gloves, Size M, Color Black, microfiber	
	material provide dexterity to utilize tools and equipment.	
27.	Gloves, Mechanic Gloves, Size XL, Color Black, microfiber	
_	material provide dexterity to utilize tools and equipment	
28.	Gloves, rubber gloves, adjustable arm, waterproof, oil resistant,	
	nitrite, stretchable, rubber, coated construction, high quality	
29.	Horn, Automotive Horn	
30.	Hydraulic Fluid, Oil 68	

31.	Ignition Switch, (Gasoline) Circuit Brand	
32.	Spark Plug, Short Tip	
33.	Suit, Overall Working Suit (Color Gray-Black, Size L) 80%	
33.	polyester and 20p• cotton with 260g oxford fabric, reinforcement	
	with oxford fabric on knees durable, triple seam in spot prone to	
	tearing relective peece around the chest to improve user safety,	
	additional belt, for size adjustment	
34.	Suit, Overall Working Suit (Color Gray-Black, Size M) 80%	
	polyester and 20'x• cotton with 260g oxford fabric, reinforcement	
	with oxford fabric on knees durable, triple seam in spot prone to	
	tearing selective peece around the	
2.5	chest to improve user safety, additional belt for size adjustment	
35.	Suit, Overall Working Suit (Color Gray-Black, Size XL) 80%	
	polyester and 20% cotton with 260g oxford fabric, reinforcement	
	with oxford fabric on knees durable, triple seam in spot prone to tearing relective peece around the chest to improve user safety,	
	additional additional additional	
	for size adjustment	
36.	Tire Stopper, metal wheel chock tire stopper (non-slip, for tractor	
	and car parking metal materials, Color Blue, Size Approx.	
	3.3"2.7"2.1cm	
37.	Toggle Switch, 2 Way	
38.	Toggle Switch, 3 Way	
39.	Voltage Regulator, 12V	
40.	Wire, High-tension Wire	
	o. 2 – Hardware Supplies	
41.	Welding Mask Helmet, auto darkening, 19cm x 20cm x 36.5cm,	
	with protective plate and UV / IR filter, legendary series, high quality, heavy duty, battery powered with solar assist, 2	
	independent arc sensors, ideal	
	for tig rating, mig and stick welding	
42.	Junction Box, 4 X 4	
43.	Mask, Respirator Mask (Yellow/Black, Dust Chemical Paint Filter,	
	Paint Chemical Respirator, PVC Material, For Acid Gases and	
	Light Weight	
44.	Outlet, Convenience Outlet, 2 Gang	
45.	PVC, Pipe Orange, 1/2 Dia Thick Wall	
46.	Receptacle, 4 In.	
47.	Safety Boots, Size 42 Eur, steel toe cap, shock absorber, oil	
40	resistant, heavy duty, high quality	
48.	Safety Boots, Size 43 Eur, steel toe cap, shock absorber, oil	
49.	resistant, heavy duty, high quality Safety Boots, Size 44 Eur, steel toe cap, shock absorber, oil	
77.	resistant, heavy duty, high quality	
50.	Safety Boots, Safety Boots, Size 41 Eur, steel toe cap, shock	
	absorber, oil resistant, heavy duty, high quality	
51.	Safety Boots, Safety Boots, Size 45 Eur, steel toe cap, shock	
	absorber, oil resistant, heavy duty, high quality	
52.	Sandpaper, Grit 100, Color Black, 3M waterproof silicon carbide,	
	size 28"23cm, made of high-quality carbide materials, durable and	
	practical to use	
53.	Sandpaper, Grit 1000, Color Black, 3M waterproof silicon carbide,	
	size 28*23cm, made of high-quality carbide materials, durable and	
54.	practical to use Sandpaper, Grit 120, Color Black, 3M waterproof silicon carbide,	
J4.	size 28*23cm, made of high-quality carbide materials, durable and	
	practical to use	
L	Principle to the	<u> </u>

55.	Sandpaper, Grit 1500, Color Black, 3M waterproof silicon carbide,	
	size 28"23cm, made of high-quality carbide materials, durable and	
	practical to use	
56.	Sandpaper, Grit2000, Color Black, 3M waterproof silicon carbide,	
	size 28"23cm, made of high-quality carbide materials, durable and	
	practical to use	
57.	Stripper, Wire Stripper Color Red-Black, Size 8 * 200mm, high	
37.		
	quality, with steel brush, color black, plastic handle 23cm length,	
7.0	11cm	
58.	Switch, 2 Gang	
59.	Tape, Electrical	
60.	Utility Box, 2 1/2 "X" 4	
61.	Wire, THHN Wire #10	
62.	Wire, THHN Wire #12	
63.	Wire, THHN Wire #14	
64.	Angle Grinder, 4inch. Dia Grinding Disc	
65.	Bell, 24VDC	
66.	Brush, Steel Brush	
67.	Circuit Breaker, 20 Amp	
68.	Circuit Breaker, Miniature Circuit Breaker 15 Amperes 2poles	
69.	Circuit Breaker, Miniature Circuit Breaker 20 Amperes 2poles	
70.	Circuit Breaker, Miniature Circuit Breaker 20 Amperes 2poles	
71.	Circuit Breaker, Miniature Circuit Breaker 40 Amperes 2poles	
72.	Circuit Breaker, Miniature Circuit Breaker 50 Amperes 2poles	
73.	Circuit Breaker, Panel Box 3x3 (6 Holes) For Plug-In Type	
	Breakers	
74.	Circuit Breaker, Plug-In Type Circuit Breaker 15 Amperes 2poles	
75.	Circuit Breaker, Plug-In Type Circuit Breaker 20 Amperes 2poles	
76.	Circuit Breaker, Plug-In Type Circuit Breaker 30 Amperes 2poles	
77.	Circuit Breaker, Plug-In Type Circuit Breaker 40 Amperes 2poles	
78.	Circuit Breaker, Plug-In Type Circuit Breaker 50 Amperes 2poles	
79.	Circuit Breaker, Power Panel Set/Assembly W/ 4pcs Circuit	
	Breaker	
80.	Clamp, C-Clamp	
81.	Cutting Disc, Circular Cutting Disc, 4 Inch. Dia	
82.	Cutting Disc, Cutting Disc, Super Thin, 4 Inch Dia.	
83.	Cutting Disc, Grinding Disc, 4 Inch. Dia	
84.	Cutting Tip, Plasma Cutting Tip Cut 70	
85.	Electrical Metallic Tubing, EMT (Electrical Metallic Tubing) 1/2"	
05.	Dia. 10ft	
86.	Emergency Stop Button, 10a	
87.	Exhaust Fan, 15"	
	,	
88.	Gloves, Insulated, Rubber, Large	
89.	Gloves, Knitted, Cotton, Large	
90.	Hammer, Ballpeen Hammer, 16 Oz	
91.	Hammer, Chipping Hammer	
92.	Hard Hat, Hard Hat, Osha-Approved Hard Hat, Specifications:	
	Ansi Z89.1. 29 CFR 1910.135 Classification Type: Type 1 Class	
	E, Color: Blue, Material: Shell	
93.	Hard Hat, Hard Hat, Osha-Approved Hard Hat, Specifications:	
	Ansi Z89.1. 29 CFR 1910.135 Classification Type: Type 1 Class	
	G, Color: Blue	
94.	Hard Hat, Hard Hat, Osha-Approved Hard Hat, Specifications:	
	Ansi Z89.1. 29 CFR 1910.135 Classification Type: Type 1 Class	
	G, Color: White	
_		

95.	Hard Hat, Hard Hat, Osha-Approved Hard Hat, Specifications:	
	Ansi Z89.1. 29 CFR 1910.135 Classification Type: Type 1 Class	
0.1	G, Color: White, With 4-Point Rachet Suspension, Material: Shell	
96.	Holder, Magnetic Welding Holder	
97.	Machine, Cut Off Machine 14 Inch Cutoff Saw 2000watts and	
	above	
00		
98.	Magnetic Contactor, 220 VAC 10a, With Auxiliary Contact No/	
	Nc and Overload Protector	
99.	Magnetic Contactor, 220 VAC 20a, With Auxiliary Contact No/	
	Nc and Overload Protector	
100		
100.	Magnetic Contactor, 220 VAC 30a, With Auxiliary Contact No/	
	Nc and Overload Protector	
101.	Manual Call Point, 24vdc	
102.	Mapp Gas	
	11	
103.	Mechanical Plier, 10"	
104.	Molding, Plastic Molding 1 1/2" X 1 1/2" 10ft	
105.	Molding, Plastic Molding 1"X1" 10ft	
106.	Molding, Plastic Molding 2"X2" 10ft	
	· ·	
107.	Panel, Fire Detection and Alarm System Control Panel	
	(Conventional)	
108.	Pipe Tube Bender, EMT Manual Bender (Pipe Tube Bender) 1/2"	
	1	
109.	Pipe, PVC Pipe Conduit (Electrical) 1/2" Dia.	
110.	Pipe, PVC Pipe Conduit (Electrical) 3/4" Dia	
111.	Riveter, Heavy Duty	
112.	Rivets, Blind Rivet, 1/8 X 1/2	
113.	Rivets, Blind Rivet, 5/32	
114.	Safety Goggles, Clear	
115.	Safety Harness, Full Protection Safety Harness, harness	
	Surety Timeses, I will I lottetion Surety Timeses, inclineses	
	construction adjustable half with book made of high strength	
	construction adjustable belt with hook, made of high strength	
	material, resistant to abrasion, acid and alkali. Strong security, load	
	ı	
	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to 15 kg. with two hanging points: back and front.	
	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to 15 kg. with two hanging points: back and front. more convenient for falling suspension operation. adjustable	
	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to 15kg. with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements.	
	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration,	
	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to 15kg. with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements.	
	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to 15kg. with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load:	
	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap	
	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard	
	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook.	
	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard	
	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook.	
116	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers	
116.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc	
117.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch)	
	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc	
117.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From	
117.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to 2000°f(1093°c), stick instantly melts at designated	
117.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to 2000°f(1093°c), stick instantly melts at designated temperature for easy and immediate visual inspection, calibration-	
117.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to 15 kg. with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500 kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to 2000°f(1093°c), stick instantly melts at designated temperature for easy and immediate visual inspection, calibration-free with 100% reliability, accurate to within +/- 1% of Fahrenheit	
117.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to 2000°f(1093°c), stick instantly melts at designated temperature for easy and immediate visual inspection, calibration-	
117.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to 15 kg. with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500 kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to 2000°f(1093°c), stick instantly melts at designated temperature for easy and immediate visual inspection, calibration-free with 100% reliability, accurate to within +/- 1% of Fahrenheit and +/- 3% celsius rated	
117.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to 15 kg. with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500 kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to 2000°f(1093°c), stick instantly melts at designated temperature for easy and immediate visual inspection, calibration-free with 100% reliability, accurate to within +/- 1% of Fahrenheit and +/- 3% celsius rated comply with preheat temperature requirements of AWS d1.1, asme	
117. 118.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to 2000°f(1093°c), stick instantly melts at designated temperature for easy and immediate visual inspection, calibration-free with 100% reliability, accurate to within +/- 1% of Fahrenheit and +/- 3% celsius rated comply with preheat temperature requirements of AWS d1.1, asme code sec. i, iii and viii, ANSI/ASME code b31.1 and b31.3.	
117. 118.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to 15 kg. with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500 kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to 2000°f(1093°c), stick instantly melts at designated temperature for easy and immediate visual inspection, calibration-free with 100% reliability, accurate to within +/- 1% of Fahrenheit and +/- 3% celsius rated comply with preheat temperature requirements of AWS d1.1, asme code sec. i, iii and viii, ANSI/ASME code b31.1 and b31.3. Tong	
117. 118.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to 2000°f(1093°c), stick instantly melts at designated temperature for easy and immediate visual inspection, calibration-free with 100% reliability, accurate to within +/- 1% of Fahrenheit and +/- 3% celsius rated comply with preheat temperature requirements of AWS d1.1, asme code sec. i, iii and viii, ANSI/ASME code b31.1 and b31.3.	
117. 118. 119. 120.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to 15 kg. with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500 kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to 2000°f(1093°c), stick instantly melts at designated temperature for easy and immediate visual inspection, calibration-free with 100% reliability, accurate to within +/- 1% of Fahrenheit and +/- 3% celsius rated comply with preheat temperature requirements of AWS d1.1, asme code sec. i, iii and viii, ANSI/ASME code b31.1 and b31.3. Tong Torch, Dual Tube Torch (Hand Torch)	
117. 118. 119. 120. 121.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to 15 kg. with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500 kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to 2000°f(1093°c), stick instantly melts at designated temperature for easy and immediate visual inspection, calibration-free with 100% reliability, accurate to within +/- 1% of Fahrenheit and +/- 3% celsius rated comply with preheat temperature requirements of AWS d1.1, asme code sec. i, iii and viii, ANSI/ASME code b31.1 and b31.3. Tong Torch, Dual Tube Torch (Hand Torch) Tungsten Filler	
117. 118. 119. 120. 121. 122.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to 15 kg. with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500 kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to 2000°f(1093°c), stick instantly melts at designated temperature for easy and immediate visual inspection, calibration-free with 100% reliability, accurate to within +/- 1% of Fahrenheit and +/- 3% celsius rated comply with preheat temperature requirements of AWS d1.1, asme code sec. i, iii and viii, ANSI/ASME code b31.1 and b31.3. Tong Torch, Dual Tube Torch (Hand Torch) Tungsten Filler Tungsten Rod, 2mm	
117. 118. 119. 120. 121. 122. 123.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to 15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to 2000°f(1093°c), stick instantly melts at designated temperature for easy and immediate visual inspection, calibration-free with 100% reliability, accurate to within +/- 1% of Fahrenheit and +/- 3% celsius rated comply with preheat temperature requirements of AWS d1.1, asme code sec. i, iii and viii, ANSI/ASME code b31.1 and b31.3. Tong Torch, Dual Tube Torch (Hand Torch) Tungsten Filler Tungsten Rod, 2mm Welding Gloves, Leather	
117. 118. 119. 120. 121. 122.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to 15 kg. with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500 kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to 2000°f(1093°c), stick instantly melts at designated temperature for easy and immediate visual inspection, calibration-free with 100% reliability, accurate to within +/- 1% of Fahrenheit and +/- 3% celsius rated comply with preheat temperature requirements of AWS d1.1, asme code sec. i, iii and viii, ANSI/ASME code b31.1 and b31.3. Tong Torch, Dual Tube Torch (Hand Torch) Tungsten Filler Tungsten Rod, 2mm	
117. 118. 119. 120. 121. 122. 123. 124.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to 15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to 2000°f(1093°c), stick instantly melts at designated temperature for easy and immediate visual inspection, calibration-free with 100% reliability, accurate to within +/- 1% of Fahrenheit and +/- 3% celsius rated comply with preheat temperature requirements of AWS d1.1, asme code sec. i, iii and viii, ANSI/ASME code b31.1 and b31.3. Tong Torch, Dual Tube Torch (Hand Torch) Tungsten Filler Tungsten Rod, 2mm Welding Gloves, Leather Welding Machine, Soo amp, Inverter, Potable	
117. 118. 119. 120. 121. 122. 123.	material, resistant to abrasion, acid and alkali. Strong security, load bearing weight up to 15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook. universal sizes that suit a wide range of workers Smoke Detector, 24vdc Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch) Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to 2000°f(1093°c), stick instantly melts at designated temperature for easy and immediate visual inspection, calibration-free with 100% reliability, accurate to within +/- 1% of Fahrenheit and +/- 3% celsius rated comply with preheat temperature requirements of AWS d1.1, asme code sec. i, iii and viii, ANSI/ASME code b31.1 and b31.3. Tong Torch, Dual Tube Torch (Hand Torch) Tungsten Filler Tungsten Rod, 2mm Welding Gloves, Leather	

127.	Wire, THHN/THWN Stranded Wire 4 10 150 Meters	
128.	Wire, THHN/THWN Stranded Wire # 12 150 Meters	
129.	Wire, THHN/THWN Stranded Wire # 14 150 Meters	
130.	Board, Copper Clad Board Single Sided 12 X 12	
131.	Board, Mini Bread Board for Electronics Prototyping	
132.	Soldering Iron - 60 Watts 220 - 240Volts (Pen Type)	
133.	Board, Soldering Lead Tin (PBSN) 60/40, 1 Mm Dia - 250	
	Grams	
134.	Electrode Holder, 300 Amps	
135.	Emergency Stop Button, 10a (N.0 + N.C)	
136.	Magnetic Contactor, Magnetic Contactor, 220 VAC 10a, With	
	Auxiliary Contact No/ Nc and Overload Protector	
137.	Magnetic Contactor, Magnetic Contactor, 220 VAC 20a, With	
	Auxiliary Contact No/ Nc and Overload Protector	
138.	Magnetic Contactor, Magnetic Contactor, 220 VAC 30a, With	
	Auxiliary Contact No/ Nc and Overload Protector	
139.	Tool Bit, Carbide, 1/4"	
140.	Tool Bit, Momax,1/4"	
141.	Tool Holder, Straight, 1/4"	
142.	Valve, Directional Control Valve 5/2 Way W/ 2 Soleniod Valve	
143.	Welding Cable, 55 Square Mm	
144.	Welding Rod, Welding Rod (E6013), 20kg./Box	
145.	Relay, My4n-Gs Dc24v	
146.	Lamp, Indicator Lamp Set 220vac	
Lot N	o. 3 – Mechatronics Technology Supplies	
147.	Sensor, Capacitive Proximity Sensor (Shielded Probe) 24vdc	
	15ma	
148.	Sensor, Capacitive Proximity Sensor (Unshielded Probe) 24vdc	
	15ma	
149.	Sensor, Inductive Proximity Sensor (Shielded Probe) 24vdc 15ma	
150.	Sensor, Inductive Proximity Sensor (Unshielded Probe) 24vdc	
	15ma	
151.	Sensor, Photoelectric Sensor 24VDC 3sma	
152.	Sensor, Ultrasonic Sensor 24VDC 70ma	
153.	Somatic, Plc (Simatic S7-200) Smart	
154.	Sound And Light Alarm, Fire Sound and Light Alarm, 24vdc	
155.	Switch, Limit Switch (Industrial Type) SPDT	
156.	Switch, Push Button Switch (Normally Closed) 10a	
157.	Switch, Push Button Switch (Normally Open) 10a	
158.	Variable Frequency Drive, 2.2kw 220vac 1ph	
159.	Variable Frequency Drive, 3.3kw 220vac 3ph	
160.	Hose, Air Hose PVC - @4,2.5mm-L50m	
161.	Relay, My4n-Gs Dc24v	
162.	Spare Parts, Plc Simatic S7-200 Smart	
	CPU Sr40	
	6ES7 288-1SR40-0AA0	
	Current: 0.5 A	
	Manufacturer: Series Plc S7-200 I/O Points: 60 I/O Points	
	Output Type: Digital 24V DC	
163.	Switch, Lxw5-11 In 1 Limit Switch SPDT	
164.	Switch, Push Button Switch (Normally Closed) 10a Red	
165.	Switch, Push Button Switch (Normally Open) 10a Green	
166.	Valve, Pneumatic Solenoid Valve 4v2110-08 AC 220V Double	
	Coil Pilot-Operated Electric 2 Position S Way Connection Type	

Note: Bidders must state in the Statement of Compliance either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter

of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's unamended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provision of **ITB** Clause 4.

Attached herewith are the manufacturer's product literature(s) and certification(s) that we are authorized to sell the goods.

We certify that the foregoing information and the supporting documents are true and correct.

[Signature]
[Name of Authorized Signatory]
[Position/Title of Authorized Signatory]

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES)	
CITY/MUNICIPALITY OF) :	S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. Select one, delete the other:

- b. *If a sole proprietorship:* I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[address of Bidder]*;
- c. *If a partnership, corporation, cooperative, or joint venture:* I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

2. Select one, delete the other:

- a. If a sole proprietorship: As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;
- b. If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];
- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. Select one, delete the rest:

- a. *If a sole proprietorship:* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;
- b. *If a partnership or cooperative:* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of

the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- c. *If a corporation or joint venture:* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;
- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
 - a. Carefully examine all of the Bidding Documents;
 - b. Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract:
 - c. Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to delivery certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

amended, or the Revised Penal Co	ode.
IN WITNESS WHEREOF, I have her Philippines.	reunto set my hand this day of, 20 at,
	Bidder's Representative/Authorized Signatory
execution], Philippines. Affiant/s is/are percompetent evidence of identity as define SC). Affiant/s exhibited to me his/her [in	to before me this day of [month] [year] at [place of ersonally known to me and was/were identified by me through d in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-sert type of government identification card used], with his/her on, with no and his/her Community Tax Certificate _ day of [month] [year].
Doc. No	NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No PTR No [date issued], [place issued] IBP No [date issued], [place issued]
Page No	

Book No. _____ Series of _____

[Date]

To: Tarlac State University Re: Invitation to Bid No.

NET FINANCIAL CONTRACTING CAPACITY

Based on our Income Tax Return and Audited Financial Statement for the Fiscal Year [YEAR], duly submitted to the Bureau of Internal Revenue, and which form part of our Bid, the summary of our firm's financial condition is as given below:

		Year [YEAR]
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	

Based on the aforementioned data and the Value of Outstanding Works from the Statement of All Ongoing Government and Private Contracts, which also form part of our Bid, our Net Financial Contracting Capacity (NFCC) is:

NFCC = [(current asset minus current liabilities) ($\underline{15}$)] minus [value of all outstanding or uncompleted portions of the projects under ongoing contracts including awarded contracts yet to be started coinciding with the contract to be bid].

NFCC =

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title]

[Date]

FINANCIAL BID FORM

To: Tarlac State University		
Re: Invitation to Bid No.		
	Date :	
	Project Invitation to Bid No. :	

To: Tarlac State University

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose						
of agent Currency Commission or gratuity						
of agent Currency Commission or gratuity						
[(if none, state "None")]						

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:	
Legal capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

[Date]

To: Tarlac State University Re: Invitation to Bid No.

SCHEDULE OF PRICES

Item No.	Description	Qty.	Unit	Unit Price	Total Price		
Lot N	Lot No. 1 – Automotive Technology Material Supplies						
1.	Automotive Battery, 3SM Maintenance Free	2	piece				
2.	Automotive Bulb, Double Contact (12v)	50	piece				
3.	Automotive Bulb, Single Contact (12v)	43	piece				
4.	Automotive Fuse, 15 Amp	50	piece				
5.	Automotive Fuse, 20 Amp	50	piece				
6.	Automotive Relay, 12v	10	piece				
7.	Automotive Wire, #10	10	roll				
8.	Automotive Wire, #12	10	roll				
9.	Automotive Wire, T/14	10	roll				
10.	Battery Terminal	20	piece				
11.	Bulb, Led, 9w, White	25	piece				
12.	Butane	15	bottle				
13.	Cable, Battery Cable	7	meter				
14.	Carburator, Repair Kit 4k	4	set				
15.	Cleaner, Brake Cleaner	6	piece				
16.	Cleaner, Carburator Cleaner	5	piece				
17.	Coil, Ignition Coil	5	piece				
18.	Connector, Automotive Male Female Connector	75	piece				
19.	Cover, Maintenance Protective Cover (including driver and copilot cover, rear 3 sea cover, steering cover and gear cover, color blue, anti-dirty seat, waterproof, dustproof, use for maintenance and driving car	1	set				
20.	Diesel Engine Motor Oil, (Oil 40) Sae40	20	liter				
22.	Flasher Relay, 12v	5	piece				
23.	Fluid, Brake Fluid	5	liter				
25.	Gloves, Mechanic Gloves, Size L, Color Black, microfiber material provide dexterity to utilize tools and equipment.	2	box				
26.	Gloves, Mechanic Gloves, Size M, Color Black, microfiber material provide dexterity to utilize tools and equipment.	2	box				
27.	Gloves, Mechanic Gloves, Size XL, Color Black, microfiber material provide dexterity to utilize tools and equipment	2	box				

28.	Gloves, rubber gloves, adjustable arm, waterproof, oil resistant, nitrite, stretchable, rubber, coated construction, high quality	10	box	
29.	Horn, Automotive Horn	2	set	
30.	Hydraulic Fluid, Oil 68	5	pail	
31.	Ignition Switch, (Gasoline) Circuit Brand	5	piece	
32.	Spark Plug, Short Tip	4	set	
33.	Suit, Overall Working Suit (Color Gray-Black, Size L) 80% polyester and 20p• cotton with 260g oxford fabric, reinforcement with oxford fabric on knees durable, triple seam in spot prone to tearing relective peece around the chest to improve user safety, additional belt, for size adjustment	1	piece	
34.	Suit, Overall Working Suit (Color Gray-Black, Size M) 80% polyester and 20'x• cotton with 260g oxford fabric, reinforcement with oxford fabric on knees durable, triple seam in spot prone to tearing selective peece around the chest to improve user safety, additional belt for size adjustment	1	piece	
35.	Suit, Overall Working Suit (Color Gray-Black, Size XL) 80% polyester and 20% cotton with 260g oxford fabric, reinforcement with oxford fabric on knees durable, triple seam in spot prone to tearing relective peece around the chest to improve user safety, additional belt for size adjustment	1	piece	
36.	Tire Stopper, metal wheel chock tire stopper (non-slip, for tractor and car parking metal materials, Color Blue, Size Approx. 3.3"2.7"2.1cm	1	set	
37.	Toggle Switch, 2 Way	15	piece	
38.	Toggle Switch, 3 Way	15	piece	
39.	Voltage Regulator, 12V	5	piece	
40.	Wire, High-tension Wire	3	set	
	Total Bid Amo	unt for	Lot No. 1	

[Signature]
[Name of Authorized Signatory]
[Position/Title of Authorized Signatory]

[Date]

To: Tarlac State University Re: Invitation to Bid No.

SCHEDULE OF PRICES

Item No.	Description	Qty.	Unit	Unit Price	Total Price
Lot N	o. 2 – Hardware Supplies				1
41.	Welding Mask Helmet, auto darkening, 19cm x 20cm x 36.5cm, with protective plate and UV / IR filter, legendary series, high quality, heavy duty, battery powered with solar assist, 2 independent arc sensors, ideal for tig rating, mig and stick welding	25	piece		
42.	Junction Box, 4 X 4	50	piece		
43.	Mask, Respirator Mask (Yellow/Black, Dust Chemical Paint Filter, Paint Chemical Respirator, PVC Material, For Acid Gases and Light Weight	5	piece		
44.	Outlet, Convenience Outlet, 2 Gang	25	set		
45.	PVC, Pipe Orange, 1/2 Dia Thick Wall	50	piece		
46.	Receptacle, 4 In.	25	piece		
47.	Safety Boots, Size 42 Eur, steel toe cap, shock absorber, oil resistant, heavy duty, high quality	1	pair		
48.	Safety Boots, Size 43 Eur, steel toe cap, shock absorber, oil resistant, heavy duty, high quality	1	pair		
49.	Safety Boots, Size 44 Eur, steel toe cap, shock absorber, oil resistant, heavy duty, high quality	1	pair		
50.	Safety Boots, Safety Boots, Size 41 Eur, steel toe cap, shock absorber, oil resistant, heavy duty, high quality	1	pair		
51.	Safety Boots, Safety Boots, Size 45 Eur, steel toe cap, shock absorber, oil resistant, heavy duty, high quality	1	pair		
52.	Sandpaper, Grit 100, Color Black, 3M waterproof silicon carbide, size 28"23cm, made of high-quality carbide materials, durable and practical to use	5	piece		
53.	Sandpaper, Grit 1000, Color Black, 3M waterproof silicon carbide, size 28*23cm, made of high-quality carbide materials, durable and practical to use	5	piece		
54.	Sandpaper, Grit 120, Color Black, 3M waterproof silicon carbide, size 28*23cm, made of high-quality carbide materials, durable and practical to use	5	piece		
55.	Sandpaper, Grit 1500, Color Black, 3M waterproof silicon carbide, size 28"23cm, made	5	piece		

practical to use 56. Sandpaper, Grit2000, Color Black, 3M 5 piece waterproof silicon carbide, size 28"23cm, made of high-quality carbide materials, durable and practical to use 57. Stripper, Wire Stripper Color Red-Black, Size 8 * 1 piece 200mm, high quality, with steel brush, color	
waterproof silicon carbide, size 28"23cm, made of high-quality carbide materials, durable and practical to use 57. Stripper, Wire Stripper Color Red-Black, Size 8 * 1 piece 200mm, high quality, with steel brush, color	
of high-quality carbide materials, durable and practical to use 57. Stripper, Wire Stripper Color Red-Black, Size 8 * 1 piece 200mm, high quality, with steel brush, color	
practical to use 57. Stripper, Wire Stripper Color Red-Black, Size 8 * 1 piece 200mm, high quality, with steel brush, color	
57. Stripper, Wire Stripper Color Red-Black, Size 8 * 1 piece 200mm, high quality, with steel brush, color	
200mm, high quality, with steel brush, color	
block plastic handle 22 am langth 11 am	
black, plastic handle 23cm length, 11cm 58. Switch, 2 Gang 25 set	
, ,	
59. Tape, Electrical 25 roll	
60. Utility Box, 2 1/2 "X" 4 50 piece	
61. Wire, THHN Wire #10 3 box	
62. Wire, THHN Wire #12 3 box	
63. Wire, THHN Wire #14 5 box	
64. Angle Grinder, 4inch. Dia Grinding Disc 4 unit	
65. Bell, 24VDC 4 piece	
66. Brush, Steel Brush 21 piece	
67. Circuit Breaker, 20 Amp 13 piece	
68. Circuit Breaker, Miniature Circuit Breaker 15 8 piece	
Amperes 2poles	
69. Circuit Breaker, Miniature Circuit Breaker 20 8 piece	
Amperes 2poles	
70. Circuit Breaker, Miniature Circuit Breaker 30 8 piece	
Amperes 2poles	
71. Circuit Breaker, Miniature Circuit Breaker 40 8 piece	
Amperes 2poles	
72. Circuit Breaker, Miniature Circuit Breaker 50 8 piece	
Amperes 2poles	
73. Circuit Breaker, Panel Box 3x3 (6 Holes) For 8 piece	
Plug-In Type Breakers	
74. Circuit Breaker, Plug-In Type Circuit Breaker 15 8 piece Amperes 2poles	
75. Circuit Breaker, Plug-In Type Circuit Breaker 20 8 piece	
Amperes 2 poles	
76. Circuit Breaker, Plug-In Type Circuit Breaker 30 8 piece	
Amperes 2 poles	
77. Circuit Breaker, Plug-In Type Circuit Breaker 40 8 piece	
Amperes 2poles	
78. Circuit Breaker, Plug-In Type Circuit Breaker 50 8 piece	
Amperes 2poles	
79. Circuit Breaker, Power Panel Set/Assembly W/ 4 piece	
4pcs Circuit Breaker	
80. Clamp, C-Clamp 4 piece	
81. Cutting Disc, Circular Cutting Disc, 4 Inch. Dia 60 piece	
82. Cutting Disc, Cutting Disc, Super Thin, 4 Inch 100 piece	
Dia.	
83. Cutting Disc, Grinding Disc, 4 Inch. Dia 60 piece	
84. Cutting Tip, Plasma Cutting Tip Cut 70 5 box	
85. Electrical Metallic Tubing, EMT (Electrical 30 piece	
Metallic Tubing) 1/2" Dia. 10ft	

86.	Emergency Stop Button, 10a	3	piece	
87.	Exhaust Fan, 15"	5	unit	
88.	Gloves, Insulated, Rubber, Large	50	piece	
89.	Gloves, Knitted, Cotton, Large	50	piece	
90.	Hammer, Ballpeen Hammer, 16 Oz	15	piece	
91.	Hammer, Chipping Hammer	15	piece	
92.	Hard Hat, Hard Hat, Osha-Approved Hard Hat,	1	piece	
	Specifications: Ansi Z89.1. 29 CFR 1910.135			
	Classification Type: Type 1 Class E, Color: Blue,			
93.	Material: Shell	1	niono	
93.	Hard Hat, Hard Hat, Osha-Approved Hard Hat, Specifications: Ansi Z89.1. 29 CFR 1910.135	1	piece	
	Classification Type: Type 1 Class G, Color: Blue			
94.	Hard Hat, Hard Hat, Osha-Approved Hard Hat,	1	piece	
	Specifications: Ansi Z89.1. 29 CFR 1910.135		_	
	Classification Type: Type 1 Class G, Color:			
05	White	2	micas	
95.	Hard Hat, Hard Hat, Osha-Approved Hard Hat, Specifications: Ansi Z89.1. 29 CFR 1910.135	2	piece	
	Classification Type: Type 1 Class G, Color:			
	White, With 4-Point Rachet Suspension,			
	Material: Shell			
96.	Holder, Magnetic Welding Holder	8	piece	
97.	Machine, Cut Off Machine 14 Inch Cutoff Saw	2	unit	
00	2000watts and above	10	•	
98.	Magnetic Contactor, 220 VAC 10a, With Auxiliary Contact No/Nc and Overload Protector	10	piece	
99.	Magnetic Contactor, 220 VAC 20a, With	10	piece	
	Auxiliary Contact No/ Nc and Overload Protector		r	
100.	Magnetic Contactor, 220 VAC 30a, With	10	piece	
	Auxiliary Contact No/ Nc and Overload Protector			
101.	Manual Call Point, 24vdc	4	piece	
102.	Mapp Gas	10	piece	
103.	Mechanical Plier, 10"	20	piece	
104.	Molding, Plastic Molding 1 1/2" X 1 1/2" 10ft	50	piece	
105.	Molding, Plastic Molding 1"X1" 10ft	50	piece	
106.	Molding, Plastic Molding 2"X2" 10ft	50	piece	
107.	Panel, Fire Detection and Alarm System Control	4	piece	
108.	Panel (Conventional) Pipe Tube Bender, EMT Manual Bender (Pipe	1	piece	
100.	Tube Bender) 1/2"	1	piece	
109.	Pipe, PVC Pipe Conduit (Electrical) 1/2" Dia.	50	piece	
110.	Pipe, PVC Pipe Conduit (Electrical) 3/4" Dia	20	piece	
111.	Riveter, Heavy Duty	10	piece	
112.	Rivets, Blind Rivet, 1/8 X 1/2	3	box	
113.	Rivets, Blind Rivet, 5/32	3	box	
114.	Safety Goggles, Clear	50	piece	
115.	Safety Harness, Full Protection Safety Harness,	1	piece	
	harness construction adjustable belt with hook,			
	made of high strength material, resistant to			
	abrasion, acid and alkali. Strong security, load			

	bearing weight up to15kg.with two hanging points: back and front. more convenient for falling suspension operation. adjustable design better meets different protection and rescue requirements. Safety equipment for construction, maintenance, exploration, aerial working, rescue, etc. maximum safe drop: 1.5m, break load: 1500kgs, metal buckle type chest strap adjustable thigh strap ideally positioned sit strap, built-in 11.5-meterpolyamide lanyard with 1 snap hook.				
	universal sizes that suit a wide range of				
116.	workers Smoke Detector, 24vdc	8	niaga		
	,		piece		
117.	Steel Plate, Mild Steel Plate (8ft.X4ft.X3/8 Inch)	2	piece ·		
118.	Temperature Indicator, 116 Temperatures Available From 100°F(38°C) to 2000°f(1093°c), stick instantly melts at designated temperature for easy and immediate visual inspection, calibration-free with 100% reliability, accurate to within +/-1% of Fahrenheit and +/- 3% celsius rated comply with preheat temperature requirements of AWS d1.1, asme code sec. i, iii and viii, ANSI/ASME code b31.1 and b31.3.	25	piece		
119.	Tong	15	piece		
120.	Torch, Dual Tube Torch (Hand Torch)	3	piece		
121.	Tungsten Filler	10	piece		
122.	Tungsten Rod, 2mm	10	piece		
123.	Welding Gloves, Leather	20	piece		
124.	Welding Machine, Soo amp, Inverter, Potable	10	unit		
125.	Welding Rod, Welding Rod (E7018), 20kg. /Box	4	box		
126.	Welding Rod, Welding Rode(E6011), 20kg. /Box	2	box		
127.	Wire, THHN/THWN Stranded Wire 4 10 150	5	box		
127.	Meters	3	OOA		
128.	Wire, THHN/THWN Stranded Wire # 12 150 Meters	5	box		
129.	Wire, THHN/THWN Stranded Wire # 14 150 Meters	5	box		
130.	Board, Copper Clad Board Single Sided 12 X 12	20	piece		
131.	Board, Mini Bread Board for Electronics Prototyping	20	piece		
132.	Soldering Iron - 60 Watts 220 - 240Volts (Pen Type)	10	piece		
133.	Board, Soldering Lead Tin (PBSN) 60/40, 1 Mm Dia - 250 Grams	1	roll		
134.	Electrode Holder, 300 Amps	20	piece		
135.	Emergency Stop Button, 10a (N.0 + N.C)	6	piece		
136.	Magnetic Contactor, Magnetic Contactor, 220 VAC 10a, With Auxiliary Contact No/ Nc and Overload Protector	10	piece		
137.	Magnetic Contactor, Magnetic Contactor, 220 VAC 20a, With Auxiliary Contact No/ Nc and Overload Protector	10	piece		
	O (011040 1 10100101			<u> </u>	<u> </u>

138.	Magnetic Contactor, Magnetic Contactor, 220 VAC 30a, With Auxiliary Contact No/ Nc and	10	piece	
	Overload Protector			
139.	Tool Bit, Carbide, 1/4"	60	piece	
140.	Tool Bit, Momax,1/4"	90	piece	
141.	Tool Holder, Straight,1/4"	4	unit	
142.	Valve, Directional Control Valve 5/2 Way W/ 2 Soleniod Valve	10	piece	
143.	Welding Cable, 55 Square Mm	20	meter	
144.	Welding Rod, Welding Rod (E6013), 20kg./Box	5	box	
145.	Relay, My4n-Gs Dc24v	10	piece	
146.	Lamp, Indicator Lamp Set 220vac	5	piece	
	Total Bid Amou	unt for	Lot No. 2	

[Signature]
[Name of Authorized Signatory]
[Position/Title of Authorized Signatory]

[Date]

To: Tarlac State University Re: Invitation to Bid No.

SCHEDULE OF PRICES

Item No.	Description	Qty.	Unit	Unit Price	Total Price
Lot N	o. 3 – Mechatronics Technology Supplies				-
147.	Sensor, Capacitive Proximity Sensor (Shielded Probe) 24vdc 15ma	10	piece		
148.	Sensor, Capacitive Proximity Sensor (Unshielded Probe) 24vdc 15ma	6	piece		
149.	Sensor, Inductive Proximity Sensor (Shielded Probe) 24vdc 15ma	4	piece		
150.	Sensor, Inductive Proximity Sensor (Unshielded Probe) 24vdc 15ma	4	piece		
151.	Sensor, Photoelectric Sensor 24VDC 3sma	6	piece		
152.	Sensor, Ultrasonic Sensor 24VDC 70ma	6	piece		
153.	Somatic, Plc (Simatic S7-200) Smart	2	piece		
154.	Sound And Light Alarm, Fire Sound and Light Alarm, 24vdc	4	piece		
155.	Switch, Limit Switch (Industrial Type) SPDT	10	piece		
156.	Switch, Push Button Switch (Normally Closed) 10a	3	piece		
157.	Switch, Push Button Switch (Normally Open) 10a	3	piece		
158.	Variable Frequency Drive, 2.2kw 220vac 1ph	2	piece		
159.	Variable Frequency Drive, 3.3kw 220vac 3ph	2	piece		
160.	Hose, Air Hose PVC - @4,2.5mm-L50m	100	meter		
161.	Relay, My4n-Gs Dc24v	20	piece		
162.	SpareParts,PlcSimaticS7-200SmartCPUSr406ES7288-1SR40-0AA0Current:0.5AManufacturer:Series Plc S7-200 I/O Points: 60I/OPointsOutput Type:Digital 24V DC	4	piece		
163.	Switch, Lxw5-11 In 1 Limit Switch SPDT	10	piece		
164.	Switch, Push Button Switch (Normally Closed) 10a Red	10	piece		
165.	Switch, Push Button Switch (Normally Open) 10a Green	30	piece		
166.	Valve, Pneumatic Solenoid Valve 4v2110-08 AC 220V Double Coil Pilot-Operated Electric 2 Position S Way Connection Type	4	piece		
	Total Bid Amo	unt for	Lot No. 3		

[Signature]
[Name of Authorized Signatory]
[Position/Title of Authorized Signatory]